

# ROOFLINE

by **timloc**

**Ventilation, ancillary** and **dry fix** installation solutions for the roofline and above

INVENTIVE  
ROOF VENTS

DRY  
RIDGE &  
HIP KITS

DRY  
VERGE

RAFTER  
ROLL

AMBI-  
SOAKERS

EAVES  
SOLUTIONS

SOFFIT  
VENTILATION



# EVERYTHING UNDER ONE ROOF

The Roofline by Timloc range encompasses the ancillary products required within a roofing application. Our products range from ventilation systems for roofs, eaves and soffits to one-kit solutions for dry ridge and hip installations.



## Ventilation

|                            |   |
|----------------------------|---|
| Push-in Soffit Vent        | 4 |
| Soffit Vent Strip          | 4 |
| 2-in-1 / 3-in-1 Eaves Vent | 5 |
| 300mm Over Fascia Vent     | 5 |
| 1m Over Fascia Vent        | 5 |
| Eaves Bird Comb Filler     | 6 |
| Corbel Vent                | 6 |
| Rafter Roll                | 6 |
| 6M Eaves Vent Pack         | 7 |
| Felt Support Tray          | 7 |
| Lap Vent by Timloc         | 8 |

## Flashing

|                           |   |
|---------------------------|---|
| PbFree Lead-Free Flashing | 9 |
|---------------------------|---|

## Dry Ridge & Hip Kits

|                              |    |
|------------------------------|----|
| Dry Fix Ridge Kit            | 10 |
| Integrated Dry Fix Ridge Kit | 11 |
| Dry Fix Clay Ridge Kit       | 11 |
| Dry Fix Hip Kit              | 12 |
| Hip Kit Accessories          | 12 |

## Dry Fix Verges

|                                   |    |
|-----------------------------------|----|
| Universal Caps & Brackets         | 13 |
| Ambi-Verge                        | 13 |
| Handed Dry Fix Verges             | 14 |
| Interlocking Plain Dry Fix Verges | 14 |
| Thin Leading Edge Dry Fix Verges  | 15 |
| Continuous Dry Fix Verges         | 15 |

# CONTENTS

## Lead Replacement Soakers

|                                |    |
|--------------------------------|----|
| Plain Ambi-Soaker              | 17 |
| Interlocking Plain Ambi-Soaker | 17 |
| Slate Ambi-Soaker              | 17 |
| Thin Leading Edge Ambi-Soaker  | 17 |
| Flat Ambi-Soaker               | 17 |

**INVENTIVE**  
Roof ventilation solutions

## Tile & Slate Vents

|                                           |    |
|-------------------------------------------|----|
| Castellated Tile Vent                     | 22 |
| Double Pantile Tile Vent                  | 22 |
| Double Roman Tile Vent                    | 22 |
| Flat Edge Tile Vent                       | 23 |
| Non-Profile Tile Vent                     | 23 |
| Thin Leading Edge Tile Vent               | 23 |
| Mini Castellated Tile Vent                | 24 |
| Single Pantile Tile Vent                  | 24 |
| Interlocking Plain Tile Vent              | 24 |
| Plain Tile Vent                           | 25 |
| Low Profile Plain Tile Vent               | 25 |
| Slip Plain Tile Vent                      | 25 |
| Universal Tile Vent                       | 26 |
| Universal 22,000mm <sup>2</sup> Tile Vent | 26 |
| Universal Inline Slate Vent               | 27 |
| Small Inline Slate Vent                   | 27 |
| Hooded Slate Vent                         | 27 |
| Universal Hooded Slate Vent               | 27 |
| Adapters & Accessories                    | 28 |

## TECHNICAL SUPPORT

Full product information is available on the Timloc website. If you require any further assistance please contact Technical via the details below:

Phone: **01405 782 769** | Email: **technical@timloc.co.uk**

Scan the QR code to view full product datasheets.



# VENTILATION

## ALLOWING ROOFS TO BREATHE

Ventilation is important, it helps to mitigate condensation, regulate moisture levels, and maintain thermal balance. Continuous circulation helps protect structural timbers, insulation and internal finishes from long-term damage caused by trapped heat or humidity. Our comprehensive range of roof ventilation, ancillary and dry fix installation solutions is engineered to meet industry standards, providing the assurance of proven quality, reliability and durability.

### PUSH-IN SOFFIT VENT

#### USE

- For roof eaves ventilation
- For remedial work on existing roofs
- On roofs where the eaves incorporate a soffit board
- On roofs requiring ventilation equivalent to a 10mm continuous opening



| PRODUCT CODE | COLOUR | FREE AIRFLOW          | PACK QUANTITY | LEAD TIME        |
|--------------|--------|-----------------------|---------------|------------------|
| 1139         | Grey   | 10,000mm <sup>2</sup> | 10            | Next Working Day |
| 1140         | White  | 10,000mm <sup>2</sup> | 10            | Next Working Day |
| 1141         | Black  | 10,000mm <sup>2</sup> | 10            | Next Working Day |
| 1142         | Brown  | 10,000mm <sup>2</sup> | 10            | Next Working Day |



### SOFFIT VENT STRIP

#### USE

- For roof eaves ventilation
- On roofs where the eaves incorporate a soffit board
- With soffit boards of between 6mm and 9mm in thickness

| PRODUCT CODE | COLOUR | FREE AIRFLOW          | PACK QUANTITY | LEAD TIME        |
|--------------|--------|-----------------------|---------------|------------------|
| 1137WH       | White  | 10,000mm <sup>2</sup> | 10            | Next Working Day |
| 1137BR       | Brown  | 10,000mm <sup>2</sup> | 10            | Next Working Day |
| 1137BL       | Black  | 10,000mm <sup>2</sup> | 10            | Next Working Day |
| 1138WH       | White  | 25,000mm <sup>2</sup> | 10            | Next Working Day |
| 1138BR       | Brown  | 25,000mm <sup>2</sup> | 10            | Next Working Day |



## 2-IN-1/3-IN-1 EAVES VENT

### USE

- For roof eaves ventilation
- On roofs where the eaves incorporate a fascia board
- On roofs which do not incorporate a soffit board or where an unbroken soffit board is required

| PRODUCT CODE | EAVES COMB | FREE AIRFLOW          | PACK QUANTITY | LEAD TIME        |
|--------------|------------|-----------------------|---------------|------------------|
| 3014         | No         | 10,000mm <sup>2</sup> | 20            | Next Working Day |
| 3014C        | Yes        | 10,000mm <sup>2</sup> | 10            | Next Working Day |

## 300MM OVER FASCIA VENT

### USE

- For roof eaves ventilation
- For flat roof abutment ventilation
- On roofs where the eaves incorporate a fascia board
- On roofs which do not incorporate a soffit board, or where an unbroken soffit board is required



| PRODUCT CODE | FREE AIRFLOW          | COLOUR | PACK QUANTITY | LEAD TIME        |
|--------------|-----------------------|--------|---------------|------------------|
| 3011BL       | 10,000mm <sup>2</sup> | Black  | 10            | Next Working Day |
| 3011WH       | 10,000mm <sup>2</sup> | White  | 10            | Next Working Day |
| 3011/25BL    | 25,000mm <sup>2</sup> | Black  | 10            | Next Working Day |
| 3011/25W     | 25,000mm <sup>2</sup> | White  | 10            | Next Working Day |



## 1M OVER FASCIA VENT

### USE

- For roof eaves ventilation
- For flat roof abutment ventilation
- On roofs where the eaves incorporate a fascia board
- On roofs which do not incorporate a soffit board, or where an unbroken soffit board is required

| PRODUCT CODE | COLOUR | FREE AIRFLOW          | PACK QUANTITY | LEAD TIME        |
|--------------|--------|-----------------------|---------------|------------------|
| OF1BL        | Black  | 10,000mm <sup>2</sup> | 25            | Next Working Day |
| OF2BL        | Black  | 25,000mm <sup>2</sup> | 20            | Next Working Day |



## EAVES BIRD COMB FILLER

### USE


- At the eaves of a roof
- Below profiled roof tiles to exclude birds and vermin

| PRODUCT CODE | LENGTH | PACK QUANTITY | LEAD TIME        |
|--------------|--------|---------------|------------------|
| 1136         | 1m     | 50            | Next Working Day |

## CORBEL VENT

### USE

- For roof eaves ventilation
- On roofs where ventilation equivalent to a continuous 10mm opening is required
- On roofs where the eaves are corbelled masonry finish
- On roofs which do not incorporate a soffit board or fascia board






| PRODUCT CODE | LENGTH | FREE AIRFLOW          | PACK QUANTITY | LEAD TIME        |
|--------------|--------|-----------------------|---------------|------------------|
| 3012         | 2.4m   | 10,000mm <sup>2</sup> | 10            | Next Working Day |



## RAFTER ROLL

### USE

- For pitched roof eaves ventilation
- On standard pitched roofs where the pitch is 15° or more and the roof void is an attic or loft space
- On roofs with rafter spacings between 400mm and 600mm centres



| PRODUCT CODE | LENGTH | WIDTH | PACK QUANTITY | LEAD TIME        |
|--------------|--------|-------|---------------|------------------|
| 1121         | 6m     | 300mm | 10            | Next Working Day |
| 1171         | 6m     | 400mm | 12            | Next Working Day |
| 1131         | 6m     | 600mm | 5             | Next Working Day |
| 1151         | 6m     | 800mm | 6             | Next Working Day |

# ENGINEERED FOR EFFICIENCY




All of our ventilation products are designed with ease of installation in mind, ensuring quick, straightforward fitting without compromising on performance.

Scan the QR code to view the installation advice.


## 6M EAVES VENT PACK

### USE

- For pitched roof eaves ventilation
- On standard pitched roofs
- On roofs with rafter spacings of between 400mm and 600mm



1 x Rafter Roll (300mm or 600mm width) | 6 x 1m Over Fascia Vent (10,000mm<sup>2</sup> or 25,000mm<sup>2</sup> airflow) | 10 x Felt Support Tray (600mm)



| PRODUCT CODE | FREE AIRFLOW          | ROLL FORM VENT WIDTH | LEAD TIME        |
|--------------|-----------------------|----------------------|------------------|
| EVP6         | 10,000mm <sup>2</sup> | 300mm                | Next Working Day |
| EVP6/25      | 25,000mm <sup>2</sup> | 300mm                | Next Working Day |
| EVP6/600     | 10,000mm <sup>2</sup> | 600mm                | Next Working Day |
| EVP6/25600   | 25,000mm <sup>2</sup> | 600mm                | Next Working Day |



## FELT SUPPORT TRAY

### USE

- At the eaves of a roof to support and protect roofing felt
- For remedial work to replace worn or perished roofing felt

| PRODUCT CODE | LENGTH | PACK QUANTITY | LEAD TIME        |
|--------------|--------|---------------|------------------|
| 3017         | 1500mm | 10            | Next Working Day |
| 1128         | 600mm  | 20            | Next Working Day |

Cooler temperatures increase the risk of

# CONDENSATION

in the loft space



**SOLVE IT**  
with

# LAP VENT

A remedial solution for combating condensation in cold roof voids by separating lap joints in the roofing felt/membrane and can be fitted retrospectively after increased loft insulation.

PRODUCT CODE

5560

FREE AIRFLOW

3,000mm<sup>2</sup>

PACK QUANTITY

10

LEAD TIME

Next Working Day

82

Pb FREE

## LEAD-FREE FLASHING

## USE

- Same applications as traditional lead flashing including flat roof connection, dormers, valley gutters, step and cover flashing, cavity walls and apron flashing
- Can be used in any climate worldwide (-40°C/+90°C)



ANTI-VANDAL



LIGHTWEIGHT



ANTI-THEFT



DURABLE



LOW COST



VERSATILE



WATERPROOF

The lead alternative, high-performance aluminium flashing. For the same applications as traditional lead flashing including flat roof connection, dormers, valley gutters, step and cover flashing, cavity walls and apron flashing.

| PRODUCT CODE | ROLL WIDTH | LENGTH | PACK QUANTITY | LEAD TIME        |
|--------------|------------|--------|---------------|------------------|
| LF150        | 150mm      | 5m     | 1             | Next Working Day |
| LF300        | 300mm      | 5m     | 1             | Next Working Day |
| LF450        | 450mm      | 5m     | 1             | Next Working Day |

# DRY FIX RIDGE KITS



**DRY FIX  
RIDGE KIT**

For use with most types of slate, concrete or clay roof ridge tiles on roof pitches between 15-55°. The ridge union has adjustable clips positions compatible with ridge tiles up to 30mm thickness.



**INTEGRATED DRY  
FIX RIDGE KIT**

For use with most types of slate, concrete or clay roof ridge tiles on roof pitches between 15-55°. The ridge union has integrated clips compatible with ridge tiles up to 18mm thickness.

## DRY FIX RIDGE KIT

### USE

- Most types of slate, concrete or clay roof tiles
- Round or angled ridge tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### 6M PACK:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 13 x fixing screws, washers and clamping plates\*
- 13 x ridge unions
- 26 x ridge clips
- 10 x ridge batten straps



### 10M PACK:

- 1 x 10m ridge roll with self-adhesive flashing\*
- 26 x fixing screws, washers and clamping plates\*
- 26 x ridge unions
- 52 x ridge clips
- 20 x ridge batten straps

| PRODUCT CODE | DESCRIPTION           | COLOUR | LEAD TIME        |
|--------------|-----------------------|--------|------------------|
| 54700        | 6m Dry Fix Ridge Kit  | Black  | Next Working Day |
| 51700        | 10m Dry Fix Ridge Kit | Black  | Next Working Day |

\* Please note, roll flashing and clamping plate colours may vary.

**INTEGRATED  
RIDGE CLIPS**  
for easy  
installation



## INTEGRATED DRY FIX RIDGE KIT

### USE

- Most types of slate, concrete or clay roof tiles
- Round or angled ridge tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### 3M PACK:

- 1 x 3m ridge roll with self-adhesive flashing\*
- 7 x fixing screws, washers and clamping plates\*
- 7 x ridge unions with integrated clips
- 5 x ridge batten straps

### 6M PACK:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 13 x fixing screws, washers and clamping plates\*
- 13 x ridge unions with integrated clips
- 10 x ridge batten straps

| PRODUCT CODE | DESCRIPTION                     | COLOUR | LEAD TIME        |
|--------------|---------------------------------|--------|------------------|
| 53700        | 3m Integrated Dry Fix Ridge Kit | Black  | Next Working Day |
| 54703        | 6m Integrated Dry Fix Ridge Kit | Black  | Next Working Day |

## DRY FIX CLAY RIDGE KIT

### USE

- Most types of clay roof tiles
- Round or angled ridge tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### PACK CONTAINS:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 20 x fixing screws, washers and clamping plates\*
- 20 x ridge unions
- 40 x ridge clips
- 10 x ridge batten straps



| PRODUCT CODE | DESCRIPTION                          | LEAD TIME        |
|--------------|--------------------------------------|------------------|
| 54713        | 6m Dry Fix Clay Ridge Kit            | Next Working Day |
| 54715        | 20 x Ridge Unions & 40 x Ridge Clips | Next Working Day |
| 54716        | 20 x Fixing Screws & Clamping Plates | Next Working Day |

\* Please note, roll flashing and clamping plate colours may vary.

## NEED SOMETHING EXTRA?



| PRODUCT CODE | DESCRIPTION                         | LEAD TIME        |
|--------------|-------------------------------------|------------------|
| 54618        | 13x ridge unions & 26x ridge clips  | Next Working Day |
| 54626        | 13x fixing screws & clamping plates | Next Working Day |

# DRY FIX HIP KITS



## DRY FIX HIP KIT

### USE

- Most types of slate, concrete or clay hip tiles
- Round or angled hip tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### PACK CONTAINS:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 6 x hip trays
- 13 x fixing screws, washers and clamping plates\*
- 13 x ridge unions
- 26 x ridge clips
- 10 x ridge batten straps

| PRODUCT CODE | DESCRIPTION                          | COLOUR | LEAD TIME        |
|--------------|--------------------------------------|--------|------------------|
| 54710        | 6m Dry Fix Hip Kit                   | Black  | Next Working Day |
| 44623        | 6x Hip Tray Only Pack                | Black  | Next Working Day |
| 54618        | 13 x Ridge Unions & 26 x Ridge Clips | Black  | Next Working Day |
| 54626        | 13 x Fixing Screws & Clamping Plates | Silver | Next Working Day |

\* Please note, roll flashing and clamping plate colours may vary.

## HIP TRAY PACK

### USE

- Most types of slate, concrete or clay hip tiles
- Round or angled hip tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects



| PRODUCT CODE | DESCRIPTION    | Pack Qty | LEAD TIME        |
|--------------|----------------|----------|------------------|
| 44623        | Hip Trays Pack | 6        | Next Working Day |



| PRODUCT CODE | DESCRIPTION                                  | LEAD TIME        |
|--------------|----------------------------------------------|------------------|
| 44630        | Top & Tail clips (20x large & 20x small) Kit | Next Working Day |

## HIP CLIPS KIT

### USE


- Most types of slate, concrete or clay hip tiles
- Round or angled hip tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

# DRY FIX VERGE

## UNIVERSAL CAPS & BRACKETS


### USE

- With Ambi-Verge, Handed, Interlocking Plain and Thin Leading Edge verge systems from Timloc Building Products.



| PRODUCT CODE |       |       |            |       | DESCRIPTION                | PACK QUANTITY | LEAD TIME        |
|--------------|-------|-------|------------|-------|----------------------------|---------------|------------------|
| GREY         | BROWN | BLACK | TERRACOTTA | RED   |                            |               |                  |
| 99109        | 99108 | 99107 | 99110      | 99183 | Universal angled ridge cap | 10            | Next Working Day |
| 99113        | 99112 | 99136 | 99114      | 99184 | Universal round ridge cap  | 10            | Next Working Day |

| PRODUCT CODE | DESCRIPTION                        | PACK QUANTITY | LEAD TIME        |
|--------------|------------------------------------|---------------|------------------|
| 99124        | Universal end grain batten bracket | 20            | Next Working Day |



## AMBI-VERGE

A universal dry fix verge system for profiled roof tiles is a robust, attractive, and weather-resistant alternative to traditional wet mortar bedding.

### USE

- Large format and interlocking concrete profiled tiles
- Most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects


| PRODUCT CODE |       |       |            | DESCRIPTION                    | PACK QUANTITY | LEAD TIME        |
|--------------|-------|-------|------------|--------------------------------|---------------|------------------|
| GREY         | BROWN | BLACK | TERRACOTTA |                                |               |                  |
| 99141        | 99142 | 99143 | 99144      | Ambi-Verge dry fix verge piece | 20            | Next Working Day |
| 99153        | 99155 | 99154 | 99156      | Ambi-Verge eaves starter       | 8             | Next Working Day |

# 


A premium and weather-resistant verge system alternative to traditional wet mortar bedding. Designed to be strong but flexible for easy flexing and sliding along roof tiles.

# 

- Large format, interlocking concrete and clay profiled tiles
- Batten gauges between 260-345mm
- Most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects



| PRODUCT CODE |       |       |            | DESCRIPTION                            | PACK QUANTITY | LEAD TIME        |
|--------------|-------|-------|------------|----------------------------------------|---------------|------------------|
| GREY         | BROWN | BLACK | TERRACOTTA |                                        |               |                  |
| 99117        | 99116 | 99137 | 99118      | Dry fix verge right hand piece         | 20            | Next Working Day |
| 99121        | 99120 | 99138 | 99122      | Dry fix verge left hand piece          | 20            | Next Working Day |
| 99126        | 99125 | 99130 | 99127      | Dry fix verge eaves starter pack (L+R) | 1 + 1         | Next Working Day |



# 

A robust, attractive and weather resistant verge system alternative to wet mortar bedding for Interlocking Plain tiles.

# 

- Developed for Interlocking Plain concrete tiles
- Suitable for most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects


| PRODUCT CODE |       |       |            |       | DESCRIPTION                      | PACK QUANTITY | LEAD TIME        |
|--------------|-------|-------|------------|-------|----------------------------------|---------------|------------------|
| GREY         | BROWN | BLACK | TERRACOTTA | RED   |                                  |               |                  |
| 99174        | 99176 | 99173 | 99175      | 99182 | Interlocking Plain verge         | 40            | Next Working Day |
| 99178        | 99180 | 99177 | 99179      | 99181 | Interlocking Plain eaves starter | 10            | Next Working Day |

# THIN LEADING EDGE DRY FIX VERGE

A robust, attractive and weather resistant verge system alternative to wet mortar bedding for Thin Leading Edge tiles.

## USE

- Developed for Thin Leading Edge roof tiles
- Suitable for most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects



| PRODUCT CODE |       |       |            | DESCRIPTION                          | PACK QUANTITY | LEAD TIME        |
|--------------|-------|-------|------------|--------------------------------------|---------------|------------------|
| GREY         | BROWN | BLACK | TERRACOTTA |                                      |               |                  |
| 99158        | 99160 | 99157 | 99159      | Thin Leading Edge verge (LH)         | 20            | Next Working Day |
| 99162        | 99164 | 99161 | 99163      | Thin Leading Edge verge (RH)         | 20            | Next Working Day |
| 99166        | 99168 | 99165 | 99167      | Thin Leading Edge eaves starter (LH) | 10            | Next Working Day |
| 99170        | 99172 | 99169 | 99171      | Thin Leading Edge eaves starter (RH) | 10            | Next Working Day |

A continuous verge system, for slate and flat tiles, that presents a clean flush finish and an effective and virtually maintenance free alternative to wet mortar bedding.

# CONTINUOUS DRY FIX VERGE

## USE

- Slate and tile thickness between 4 - 13mm slate and slate-effect tiles



| PRODUCT CODE | DESCRIPTION                               | PACK QTY | LEAD TIME        |
|--------------|-------------------------------------------|----------|------------------|
| 66101        | Continuous verge 3m piece - New build     | 4        | Next Working Day |
| 66105        | Continuous verge 3m piece - Refurbishment | 4        | Next Working Day |
| 66120        | Continuous Verge angled ridge cap         | 1        | Next Working Day |
| 66117        | Continuous verge eaves starter pair (L+R) | 1 + 1    | Next Working Day |
| 66124        | Continuous verge joint union              | 1        | Next Working Day |

# DRY FIX LEAD REPLACEMENT SOAKERS

**Patented 'snip off'  
soakers for universal  
fixing**

Soakers help to prevent any water ingress at the abutment to a wall and provide an aesthetic finish



IT'S A  
**SNIP**



Simple on-site installation

Compatibility chart available



Cost-saving Lead alternative

Fitting instructions available

Easy snip tab for universal fixing

UV-protected & colourfast Polypropylene

Comprehensive chart of the compatible soakers available from Timloc Building Products to suit popular roof tiles and slates. **If the tile or slate you are using is not listed please get in touch to discuss compatible options to suit your project requirements.**

| CODE        | DESCRIPTION              | COLOUR | QTY | COMPATIBILITY                                                                                                                                           | IMAGE                                                                             |
|-------------|--------------------------|--------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| AS-PLAIN    | Plain Tiles              | Black  | 50  | Most Plain tiles from major manufacturers including:<br>Redland Rosemary<br>Marley Plain<br>Russell Traditional Plain<br>Sandtoft Humber Plain          |  |
| AS-INTPLAIN | Interlocking Plain Tiles | Black  | 40  | Most Interlocking Plain tiles from major manufacturers including:<br>Marley Ashmore<br>Redland Duoplain<br>Forticrete Gemini                            |  |
| AS-SLATE    | Slates                   | Black  | 50  | Natural or Synthetic Slates<br>Slate sizes 600mm x 300mm or 500mm x 250mm<br>Product can be trimmed to suit smaller slate sizes if required             |  |
| AS-TLE      | Thin Leading Edge Tiles  | Grey   | 50  | Most Thin Leading Edge large format tiles from major manufacturers including:<br>Marley Edgemore<br>Redland Richmond<br>Sandtoft TLE                    |  |
| AS-FLAT     | Flat Tiles               | Grey   | 30  | Most Flat large format tiles from major manufacturers including:<br>Marley Modern<br>Marley Duo Modern<br>Redland Mini Stonewold<br>Sandtoft Calderdale |  |

## PLAIN

### USE

- Traditional Plain Clay Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects

## INTERLOCKING PLAIN

### USE

- Interlocking Plain Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects

## SLATE

### USE

- Natural or Synthetic slates
- Abutments between a pitched roof and a wall
- New build or refurbishment projects

## THIN LEADING EDGE

### USE

- Thin Leading Edge Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects

## FLAT

### USE

- Large Format Flat Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects

AS  
AMBI-SOAKER

| PRODUCT CODE | DESCRIPTION        | DIMENSIONS (HxLxW) | PACK QUANTITY | LEAD TIME        |
|--------------|--------------------|--------------------|---------------|------------------|
| AS-PLAIN     | Plain              | 80 x 170 x 100mm   | 50            | Next Working Day |
| AS-INTPLAIN  | Interlocking Plain | 80 x 240 x 100mm   | 40            | Next Working Day |
| AS-SLATE     | Slate              | 80 x 400 x 100mm   | 50            | Next Working Day |
| AS-TLE       | Thin Leading Edge  | 98.5 x 432 x 125mm | 50            | Next Working Day |
| AS-FLAT      | Flat               | 114 x 432 x 125mm  | 30            | Next Working Day |

# INVENTIVE

## Roof ventilation solutions

Available in **single, pack, and pallet** quantities



Designed to suit **popular tile and slate** types

**Next day delivery** on the entire product range

Tested to PD CEN/TR 15601 **against wind driven rain**

**bre**

Full range of **adapters and accessories** available

Comprehensive range of **tile and slate vents** from

**timloc**  
building products

# INVENTIVE PRODUCT RANGE BREAKDOWN

Roof ventilation solutions Available Colours: ● Terracotta (TE) ● Brown (BR) ● Red (RD) ● Grey (GR) ● Black (BL)

| Vent                            | Image                                                                               | Compatibility                                                                                                                                      | Min. Pitch* | Free Vent Area                                                                                                                          | Colours   | Accessories                         | Code     | Page |
|---------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|----------|------|
| Castellated                     |    | Lagan Square Top<br>Marley Ludlow Major<br>Redland Renown<br>Russell Cheviot<br>Sandtoft Lindum                                                    | 20°         | 10,000mm <sup>2</sup>                                                                                                                   | ● ● ● ●   | RTV-ADS<br>RTV-ADMULTI<br>RTV-KITI  | RTV-C    | 22   |
| Double Pantile                  |    | Marley Mendip<br>Quinn Locherne<br>Redland Grovebury<br>Redland Landmark<br>Russell Pennine                                                        | 20°         | 10,000mm <sup>2</sup>                                                                                                                   | ● ● ● ●   | RTV-ADS<br>RTV-ADMULTI<br>RTV-KITI  | RTV-DP   | 22   |
| Double Roman                    |    | Lagan Double Roll<br>Marley Double Roman<br>Redland 50 Double Roman<br>Russell Double Roman<br>Sandtoft Double Roman                               | 20°         | 10,000mm <sup>2</sup>                                                                                                                   | ● ● ● ●   | RTV-ADS<br>RTV-ADMULTI<br>RTV-KITI  | RTV-DR   | 22   |
| Flat Edge                       |    | Sandtoft Calderdale Edge<br>Sandtoft Danum                                                                                                         | 20°         | 10,000mm <sup>2</sup>                                                                                                                   | ● ● ● ● ● | RTV-ADS<br>RTV-ADMULTI<br>RTV-KITI  | RTV-FE   | 23   |
| Non-Profile                     |    | Lagan Flat<br>Marley Duo Modern<br>Marley Modern<br>Redland Mini Stonewold<br>Russell Grampian<br>Russell Highland<br>Sandtoft Calderdale          | 20°         | 10,000mm <sup>2</sup>                                                                                                                   | ● ● ● ● ● | RTV-ADS<br>RTV-ADMULTI<br>RTV-KITI  | RTV-NP   | 23   |
| Thin Leading Edge               |    | Lagan Elite<br>Marley Edgemere<br>FP McCann Thin Flat Tile<br>FP McCann Duo Thin Flat Tile<br>Redland Richmond<br>Russell Galloway<br>Sandtoft TLE | 20°         | 10,000mm <sup>2</sup>                                                                                                                   | ● ● ● ● ● | RTV-ADS<br>RTV-ADMULTI<br>RTV-KITI  | RTV-TE   | 23   |
| Mini Castellated                |    | Forticrete V2<br>Marley Ludlow Plus<br>Redland 49<br>Sandtoft Standard Pattern                                                                     | 17.5°       | 5,000mm <sup>2</sup>                                                                                                                    | ● ● ● ●   | RTV-ADMULTI<br>RTV-KITI             | RTV-MC   | 24   |
| Single Pantile                  |    | Marley Anglia<br>Redland Fenland Pantile<br>Sandtoft Shire                                                                                         | 20°         | 5,000mm <sup>2</sup>                                                                                                                    | ● ● ● ●   | RTV-ADMULTI<br>RTV-KITI             | RTV-SP   | 24   |
| Interlocking Plain              |    | Forticrete Gemini<br>Marley Ashmore<br>Redland Duoplain                                                                                            | 22.5°       | 6,000mm <sup>2</sup>                                                                                                                    | ● ● ● ●   | RTV-ADP<br>RTV-ADMULTI<br>RTV-KITI  | RTV-IP   | 24   |
| Plain                           |    | Redland Rosemary<br>Marley Plain<br>Russell Traditional Plain<br>Sandtoft Humber Plain                                                             | 35°         | 7,000mm <sup>2</sup>                                                                                                                    | ● ● ● ●   | RTV-ADP<br>RTV-ADMULTI<br>RTV-KITI  | RTV-P    | 25   |
| Low Profile Plain               |  | Redland Rosemary<br>Marley Plain<br>Russell Traditional Plain<br>Sandtoft Humber Plain                                                             | 35°         | 6,100mm <sup>2</sup>                                                                                                                    | ● ● ● ●   | RTV-ADP<br>RTV-ADMULTI<br>RTV-KITI  | RTV-LPP  | 25   |
| Slip Plain                      |  | Redland Rosemary<br>Marley Plain<br>Russell Traditional Plain<br>Sandtoft Humber Plain                                                             | 35°         | 6,100mm <sup>2</sup>                                                                                                                    | ● ● ● ●   | RTV-ADP<br>RTV-ADMULTI<br>RTV-KITI  | RTV-SLIP | 25   |
| Universal                       |  | Customisable fit to a wide range of profiled and plain tiles using alternative flashing sheet                                                      | 12.5°       | 20,000mm <sup>2</sup> (170mm Ø)<br>16,000mm <sup>2</sup> (150mm Ø)<br>11,000mm <sup>2</sup> (125mm Ø)<br>8,400mm <sup>2</sup> (110mm Ø) | ● ● ● ● ● | RTV-KITI                            | RTV-UNI  | 26   |
| Universal 22,000mm <sup>2</sup> |  | Customisable fit to a wide range of profiled and plain tiles using alternative flashing sheet                                                      | 12.5°       | 22,000mm <sup>2</sup> (170mm Ø)<br>16,000mm <sup>2</sup> (150mm Ø)<br>11,000mm <sup>2</sup> (125mm Ø)<br>8,400mm <sup>2</sup> (110mm Ø) | ● ● ● ● ● | RTV-KITI                            | RTV-UNI2 | 26   |
| Universal Inline Slate          |  | 600 x 300mm slates<br>500 x 250mm slates                                                                                                           | 22.5°       | 9,450mm <sup>2</sup>                                                                                                                    | ●         | RTV-ADIS<br>RTV-ADMULTI<br>RTV-KITI | RTV-IS   | 27   |
| Small Inline Slate              |  | Small slates<br>300 x 200mm to<br>400 x 250mm                                                                                                      | 22.5°       | 9,450mm <sup>2</sup>                                                                                                                    | ●         | RTV-ADIS<br>RTV-ADMULTI<br>RTV-KITI | RTV-SIS  | 27   |
| Hooded Slate                    |  | 600 x 300mm slates<br>500 x 250mm slates                                                                                                           | 22.5°       | 22,000mm <sup>2</sup>                                                                                                                   | ●         | RTV-ADHS<br>RTV-ADMULTI<br>RTV-KITI | RTV-HS   | 27   |
| Universal Hooded Slate          |  | 600 x 300mm slates<br>500 x 250mm slates                                                                                                           | 22.5°       | 10,000mm <sup>2</sup>                                                                                                                   | ●         | 4101 Pipe<br>Adapter Kit            | 4001     | 27   |

FULL RANGE OF COMPATIBLE ACCESSORIES AND ADAPTERS AVAILABLE [SEE PAGE 28](#)

**Available Colours:** ● Terracotta | TE ● Brown | BR ● Red | RD ● Grey | GR ● Black | BL  
Add the required colour option code to the end of the product code when ordering e.g. RTV-CTE

## FP MCCANN

| Tile Type          | Vent Code | Vent Name         | Min. Pitch | Colours   |
|--------------------|-----------|-------------------|------------|-----------|
| Thin Flat Tile     | RTV-TE    | Thin Leading Edge | 20°        | ● ● ● ● ● |
| Duo Thin Flat Tile | RTV-TE    | Thin Leading Edge | 20°        | ● ● ● ● ● |

## FORTICRETE

| Tile Type         | Vent Code | Vent Name          | Min. Pitch | Colours   |
|-------------------|-----------|--------------------|------------|-----------|
| Forticrete Gemini | RTV-IP    | Interlocking Plain | 22.5°      | ● ● ● ● ● |
| Forticrete V2     | RTV-MC    | Mini Castellated   | 17.5°      | ● ● ● ● ● |

## LAGAN

| Tile Type         | Vent Code | Vent Name         | Min. Pitch | Colours   |
|-------------------|-----------|-------------------|------------|-----------|
| Lagan Double Roll | RTV-DR    | Double Roman      | 20°        | ● ● ● ● ● |
| Lagan Elite       | RTV-TE    | Thin Leading Edge | 20°        | ● ● ● ● ● |
| Lagan Flat        | RTV-NP    | Non-Profile       | 20°        | ● ● ● ● ● |
| Lagan Square Top  | RTV-C     | Castellated       | 20°        | ● ● ● ● ● |

## MARLEY

| Tile Type           | Vent Code | Vent Name          | Min. Pitch | Colours   |
|---------------------|-----------|--------------------|------------|-----------|
| Marley Anglia       | RTV-SP    | Single Pantile     | 20°        | ● ● ● ● ● |
| Marley Ashmore      | RTV-IP    | Interlocking Plain | 22.5°      | ● ● ● ● ● |
| Marley Double Roman | RTV-DR    | Double Roman       | 20°        | ● ● ● ● ● |
| Marley Duo Modern   | RTV-NP    | Non-Profile        | 20°        | ● ● ● ● ● |
| Marley Edgemere     | RTV-TE    | Thin Leading Edge  | 20°        | ● ● ● ● ● |
| Marley Ludlow Major | RTV-C     | Castellated        | 20°        | ● ● ● ● ● |
| Marley Ludlow Plus  | RTV-MC    | Mini Castellated   | 17.5°      | ● ● ● ● ● |
| Marley Mendip       | RTV-DP    | Double Pantile     | 20°        | ● ● ● ● ● |
| Marley Modern       | RTV-NP    | Non-Profile        | 20°        | ● ● ● ● ● |
| Marley Plain        | RTV-P     | Plain              | 35°        | ● ● ● ● ● |
|                     | RTV-LPP   | Low Profile Plain  |            |           |
|                     | RTV-SLIP  | Slip Plain         |            |           |

## RUSSELL

| Tile Type                 | Vent Code | Vent Name         | Min. Pitch | Colours   |
|---------------------------|-----------|-------------------|------------|-----------|
| Russell Cheviot           | RTV-C     | Castellated       | 20°        | ● ● ● ● ● |
| Russell Double Roman      | RTV-DR    | Double Roman      | 20°        | ● ● ● ● ● |
| Russell Galloway          | RTV-TE    | Thin Leading Edge | 20°        | ● ● ● ● ● |
| Russell Grampian          | RTV-NP    | Non-Profile       | 20°        | ● ● ● ● ● |
| Russell Highland          | RTV-NP    | Non-Profile       | 20°        | ● ● ● ● ● |
| Russell Pennine           | RTV-DP    | Double Pantile    | 20°        | ● ● ● ● ● |
| Russell Traditional Plain | RTV-P     | Plain             | 35°        | ● ● ● ● ● |
|                           | RTV-LPP   | Low Profile Plain |            |           |
|                           | RTV-SLIP  | Slip Plain        |            |           |

If the tile or slate you are using is not listed please get in touch to discuss compatible options to suit your project requirements.

## QUINN

| Tile Type      | Vent Code | Vent Name      | Min. Pitch | Colours |
|----------------|-----------|----------------|------------|---------|
| Quinn Locherne | RTV-DP    | Double Pantile | 20°        |         |

## REDLAND

| Tile Type               | Vent Code | Vent Name          | Min. Pitch | Colours |
|-------------------------|-----------|--------------------|------------|---------|
| Redland 49              | RTV-MC    | Mini Castellated   | 17.5°      |         |
| Redland 50 Double Roman | RTV-DR    | Double Roman       | 20°        |         |
| Redland Duoplain        | RTV-IP    | Interlocking Plain | 22.5°      |         |
| Redland Fenland Pantile | RTV-SP    | Single Pantile     | 20°        |         |
| Redland Grovebury       | RTV-DP    | Double Pantile     | 20°        |         |
| Redland Landmark        | RTV-DP    | Double Pantile     | 20°        |         |
| Redland Mini Stonewold  | RTV-NP    | Non-Profile        | 20°        |         |
| Redland Renown          | RTV-C     | Castellated        | 20°        |         |
| Redland Richmond        | RTV-TE    | Thin Leading Edge  | 20°        |         |
| Redland Rosemary        | RTV-P     | Plain              | 35°        |         |
|                         | RTV-LPP   | Low Profile Plain  |            |         |
|                         | RTV-SLIP  | Slip Plain         |            |         |

## SANDTOFT

| Tile Type                 | Vent Code | Vent Name         | Min. Pitch | Colours |
|---------------------------|-----------|-------------------|------------|---------|
| Sandtoft Calderdale Edge  | RTV-FE    | Flat Edge         | 20°        |         |
| Sandtoft Danum            | RTV-FE    | Flat Edge         | 20°        |         |
| Sandtoft Double Pantile   | RTV-DP    | Double Pantile    | 20°        |         |
| Sandtoft Double Roman     | RTV-DR    | Double Roman      | 20°        |         |
| Sandtoft Calderdale       | RTV-NP    | Non-Profile       | 20°        |         |
| Sandtoft Lindum           | RTV-C     | Castellated       | 20°        |         |
| Sandtoft Shire            | RTV-SP    | Single Pantile    | 20°        |         |
| Sandtoft Standard Pattern | RTV-MC    | Mini Castellated  | 17.5°      |         |
| Sandtoft TLE              | RTV-TE    | Thin Leading Edge | 20°        |         |
| Sandtoft Humber Plain     | RTV-P     | Plain             | 35°        |         |
|                           | RTV-LPP   | Low Profile Plain |            |         |
|                           | RTV-SLIP  | Slip Plain        |            |         |

## SLATE

| Slate Type                                                    | Vent Code | Vent Name          | Min. Pitch | Colours |
|---------------------------------------------------------------|-----------|--------------------|------------|---------|
| All major slates<br>(600x300mm or 500x250mm)                  | RTV-IS    | Inline Slate       | 22.5°      |         |
| All major slates in smaller sizes<br>(300x200mm to 400x250mm) | RTV-SIS   | Small Inline Slate | 22.5°      |         |
| All major slates<br>(600x300mm or 500x250mm)                  | RTV-HS    | Hooded Slate       | 22.5°      |         |
| All major slates<br>(600x300mm or 500x250mm)                  | 4001      | Universal Slate    | 22.5°      |         |

## UNIVERSAL

| Tile or Slate Type                          | Vent Code | Vent Name                       | Min. Pitch | Colours |
|---------------------------------------------|-----------|---------------------------------|------------|---------|
| All major plain or profiled tiles or slates | RTV-UNI   | Universal                       | 12.5°      |         |
| All major plain or profiled tiles or slates | RTV-UNI2  | Universal 22,000mm <sup>2</sup> | 12.5°      |         |

# INVENTIVE

## Roof ventilation solutions

### TILE VENTS

Available in single, multi and pallet quantities  
Multi = X vents in 1 box (order as each using multi code)



#### CASTELLATED



#### COMPATIBILITY

Castellated large format tiles from all major manufacturers including:

- Marley Ludlow Major
- Russell Cheviot
- Redland Renown
- Lagan Square Top
- Sandtoft Lindum

#### USE

- On roofs with Castellated tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

20° min. pitch

10,000mm<sup>2</sup> free ventilation area

Replaces 1 Castellated tile

UV stabilised PP top

| DESCRIPTION | COLOUR     | SINGLE CODE | MULTI CODE   | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------|------------|-------------|--------------|----------------|-----------------|------------------|
| Castellated | Terracotta | RTV-CTE     | RTVMULTI-CTE | 8              | 136             | Next Working Day |
| Castellated | Brown      | RTV-CBR     | RTVMULTI-CBR | 8              | 136             | Next Working Day |
| Castellated | Grey       | RTV-CGR     | RTVMULTI-CGR | 8              | 136             | Next Working Day |
| Castellated | Red        | RTV-CRD     | RTVMULTI-CRD | 8              | 136             | Next Working Day |

#### DOUBLE PANTILE



#### COMPATIBILITY

Double Pantile large format tiles from all major manufacturers including:

- Marley Mendip
- Russell Pennine
- Redland Grovebury
- Quinn Locherne
- Redland Landmark
- Sandtoft Double Pantile

#### USE

- On roofs with Double Pantile tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

20° min. pitch

10,000mm<sup>2</sup> free ventilation area

Replaces 1 Double Pantile tile

UV stabilised PP top

| DESCRIPTION    | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|----------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Double Pantile | Terracotta | RTV-DPTE    | RTVMULTI-DPTE | 6              | 102             | Next Working Day |
| Double Pantile | Brown      | RTV-DPBR    | RTVMULTI-DPBR | 6              | 102             | Next Working Day |
| Double Pantile | Grey       | RTV-DPGR    | RTVMULTI-DPGR | 6              | 102             | Next Working Day |
| Double Pantile | Red        | RTV-DPRD    | RTVMULTI-DPRD | 6              | 102             | Next Working Day |

#### DOUBLE ROMAN



#### COMPATIBILITY

Double Roman large format tiles from all major manufacturers including:

- Marley Double Roman
- Sandtoft Double Roman
- Redland 50 Double Roman
- Lagan Double Roll
- Russell Double Roman

#### USE

- On roofs with Double Roman tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

20° min. pitch


10,000mm<sup>2</sup> free ventilation area

Replaces 1 Double Roman tile

UV stabilised PP top

| DESCRIPTION  | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|--------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Double Roman | Terracotta | RTV-DRTE    | RTVMULTI-DRTE | 6              | 102             | Next Working Day |
| Double Roman | Brown      | RTV-DRBR    | RTVMULTI-DRBR | 6              | 102             | Next Working Day |
| Double Roman | Grey       | RTV-DRGR    | RTVMULTI-DRGR | 6              | 102             | Next Working Day |
| Double Roman | Red        | RTV-DRRD    | RTVMULTI-DRRD | 6              | 102             | Next Working Day |

## FLAT EDGE



## COMPATIBILITY

Flat Edge large format tiles from all major manufacturers including:

- Sandtoft Calderdale Edge
- Sandtoft Danum


## USE

- On roofs with Flat Edge tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Flat Edge   | Terracotta | RTV-FETE    | RTVMULTI-FETE | 8              | 136             | Next Working Day |
| Flat Edge   | Brown      | RTV-FEBR    | RTVMULTI-FEBR | 8              | 136             | Next Working Day |
| Flat Edge   | Grey       | RTV-FEGR    | RTVMULTI-FEGR | 8              | 136             | Next Working Day |
| Flat Edge   | Red        | RTV-FERD    | RTVMULTI-FERD | 8              | 136             | Next Working Day |
| Flat Edge   | Black      | RTV-FEBL    | RTVMULTI-FEBL | 8              | 136             | Next Working Day |

## NON-PROFILE



## COMPATIBILITY

Non-Profile large format tiles from all major manufacturers including:

- Marley Modern
- Marley Duo Modern
- Redland Mini Stonewold
- Sandtoft Calderdale
- Russell Gramplan
- Russell Highland
- Lagan Flat


## USE

- On roofs with Non-Profile tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Non-Profile | Terracotta | RTV-NPTE    | RTVMULTI-NPTE | 8              | 136             | Next Working Day |
| Non-Profile | Brown      | RTV-NPBR    | RTVMULTI-NPBR | 8              | 136             | Next Working Day |
| Non-Profile | Grey       | RTV-NPGR    | RTVMULTI-NPGR | 8              | 136             | Next Working Day |
| Non-Profile | Red        | RTV-NPRD    | RTVMULTI-NPRD | 8              | 136             | Next Working Day |
| Non-Profile | Black      | RTV-NPBL    | RTVMULTI-NPBL | 8              | 136             | Next Working Day |

## THIN LEADING EDGE



## COMPATIBILITY

Thin Leading Edge large format tiles from all major manufacturers including:

- Marley Edgemere
- Redland Richmond
- Sandtoft TLE
- Russell Galloway
- Lagan Elite
- FP McCann Thin Flat Tile
- FP McCann Duo Thin Flat Tile

## USE

- On roofs with Thin Leading Edge tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION       | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Thin Leading Edge | Terracotta | RTV-TETE    | RTVMULTI-TETE | 8              | 136             | Next Working Day |
| Thin Leading Edge | Brown      | RTV-TEBR    | RTVMULTI-TEBR | 8              | 136             | Next Working Day |
| Thin Leading Edge | Grey       | RTV-TEGR    | RTVMULTI-TEGR | 8              | 136             | Next Working Day |
| Thin Leading Edge | Red        | RTV-TERD    | RTVMULTI-TERD | 8              | 136             | Next Working Day |
| Thin Leading Edge | Black      | RTV-TEBL    | RTVMULTI-TEBL | 8              | 136             | Next Working Day |

# INVENTIVE

Roof ventilation solutions

## TILE VENTS

Available in single, multi and pallet quantities  
Multi = X vents in 1 box (order as each using multi code)



### MINI CASTELLATED



### COMPATIBILITY

Mini Castellated large format tiles from all major manufacturers including:

- Marley Ludlow Plus
- Redland 49
- Sandtoft Standard Pattern
- Forticrete V2

### USE

- On roofs with Mini Castellated tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

17.5° min. pitch  
5,000mm² free ventilation area  
Replaces 1 Mini Castellated tile  
UV stabilised PP top

| DESCRIPTION      | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|------------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Mini Castellated | Terracotta | RTV-MCTE    | RTVMULTI-MCTE | 14             | 238             | Next Working Day |
| Mini Castellated | Brown      | RTV-MCBR    | RTVMULTI-MCBR | 14             | 238             | Next Working Day |
| Mini Castellated | Grey       | RTV-MCGR    | RTVMULTI-MCGR | 14             | 238             | Next Working Day |
| Mini Castellated | Red        | RTV-MCRD    | RTVMULTI-MCRD | 14             | 238             | Next Working Day |

### SINGLE PANTILE



### COMPATIBILITY

Single Pantile large format tiles from all major manufacturers including:

- Marley Anglia
- Redland Fenland Pantile
- Sandtoft Shire


### USE

- On roofs with Single Pantile tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

20° min. pitch  
5,000mm² free ventilation area  
Replaces 1 Single Pantile tile  
UV stabilised PP top

| DESCRIPTION    | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|----------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Single Pantile | Terracotta | RTV-SPTE    | RTVMULTI-SPTE | 11             | 187             | Next Working Day |
| Single Pantile | Brown      | RTV-SPBR    | RTVMULTI-SPBR | 11             | 187             | Next Working Day |
| Single Pantile | Grey       | RTV-SPGR    | RTVMULTI-SPGR | 11             | 187             | Next Working Day |
| Single Pantile | Red        | RTV-SPRD    | RTVMULTI-SPRD | 11             | 187             | Next Working Day |

### INTERLOCKING PLAIN



### COMPATIBILITY

Interlocking Plain large format tiles from all major manufacturers including:

- Marley Ashmore
- Redland Duoplain
- Forticrete Gemini


### USE

- On roofs with Interlocking Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

22.5° min. pitch  
6,000mm² free ventilation area  
Replaces 1 Interlock Plain tile  
UV stabilised PP top

| DESCRIPTION        | COLOUR     | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|--------------------|------------|-------------|---------------|----------------|-----------------|------------------|
| Interlocking Plain | Terracotta | RTV-IPTE    | RTVMULTI-IPTE | 12             | 204             | Next Working Day |
| Interlocking Plain | Brown      | RTV-IPBR    | RTVMULTI-IPBR | 12             | 204             | Next Working Day |
| Interlocking Plain | Grey       | RTV-IPGR    | RTVMULTI-IPGR | 12             | 204             | Next Working Day |
| Interlocking Plain | Red        | RTV-IPRD    | RTVMULTI-IPRD | 12             | 204             | Next Working Day |

## PLAIN




## COMPATIBILITY

Plain tiles from all major manufacturers including:

- Redland Rosemary
- Russell Traditional Plain
- Marley Plain
- Sandtoft Humber Plain


## USE

- On roofs with Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION | COLOUR     | SINGLE CODE | MULTI CODE   | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------|------------|-------------|--------------|----------------|-----------------|------------------|
| Plain       | Terracotta | RTV-PTE     | RTVMULTI-PTE | 14             | 238             | Next Working Day |
| Plain       | Brown      | RTV-PBR     | RTVMULTI-PBR | 14             | 238             | Next Working Day |
| Plain       | Grey       | RTV-PGR     | RTVMULTI-PGR | 14             | 238             | Next Working Day |
| Plain       | Red        | RTV-PRD     | RTVMULTI-PRD | 14             | 238             | Next Working Day |

## LOW PROFILE PLAIN



## COMPATIBILITY

Plain tiles from all major manufacturers including:

- Redland Rosemary
- Russell Traditional Plain
- Marley Plain
- Sandtoft Humber Plain


## USE

- On roofs with Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION       | COLOUR     | SINGLE CODE | MULTI CODE     | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------------|------------|-------------|----------------|----------------|-----------------|------------------|
| Low Profile Plain | Terracotta | RTV-LPTE    | RTVMULTI-LPTE  | 14             | 238             | Next Working Day |
| Low Profile Plain | Brown      | RTV-LPPBR   | RTVMULTI-LPPBR | 14             | 238             | Next Working Day |
| Low Profile Plain | Grey       | RTV-LPPGR   | RTVMULTI-LPPGR | 14             | 238             | Next Working Day |
| Low Profile Plain | Red        | RTV-LPPRD   | RTVMULTI-LPPRD | 14             | 238             | Next Working Day |

## SLIP PLAIN




## COMPATIBILITY

Plain tiles from all major manufacturers including:

- Redland Rosemary
- Russell Traditional Plain
- Marley Plain
- Sandtoft Humber Plain

## USE

- On roofs with Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION | COLOUR     | SINGLE CODE | MULTI CODE      | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------|------------|-------------|-----------------|----------------|-----------------|------------------|
| Slip Plain  | Terracotta | RTV-SLIPTE  | RTVMULTI-SLIPTE | 14             | 238             | Next Working Day |
| Slip Plain  | Brown      | RTV-SLIPBR  | RTVMULTI-SLIPBR | 14             | 238             | Next Working Day |
| Slip Plain  | Grey       | RTV-SLIPGR  | RTVMULTI-SLIPGR | 14             | 238             | Next Working Day |
| Slip Plain  | Red        | RTV-SLIPRD  | RTVMULTI-SLIPRD | 14             | 238             | Next Working Day |

# INVENTIVE

Roof ventilation solutions

## TILE VENTS

Available in single, multi and pallet quantities  
Multi = X vents in 1 box (order as each using multi code)

10 YEAR  
GUARANTEE  
timloc

### UNIVERSAL



### COMPATIBILITY

All types of tile or slate roof covering - Alternative lead flashing.

- 170mm Ø = 20,000mm<sup>2</sup>
- 150mm Ø = 16,000mm<sup>2</sup>
- 125mm Ø = 11,000mm<sup>2</sup>
- 110mm Ø = 8,400mm<sup>2</sup>

### USE

- On roofs with any tile or slate
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

12.5° min. pitch  
20,000mm<sup>2</sup> free ventilation area  
Replaces 1 tile or slate  
UV stabilised PP top

| DESCRIPTION | COLOUR     | SINGLE CODE | MULTI CODE     | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|-------------|------------|-------------|----------------|----------------|-----------------|------------------|
| Universal   | Terracotta | RTV-UNITE   | RTVMULTI-UNITE | 4              | 60              | Next Working Day |
| Universal   | Brown      | RTV-UNIBR   | RTVMULTI-UNIBR | 4              | 60              | Next Working Day |
| Universal   | Grey       | RTV-UNIGR   | RTVMULTI-UNIGR | 4              | 60              | Next Working Day |
| Universal   | Red        | RTV-UNIRD   | RTVMULTI-UNIRD | 4              | 60              | Next Working Day |
| Universal   | Black      | RTV-UNIBL   | RTVMULTI-UNIBL | 4              | 60              | Next Working Day |

### UNIVERSAL 22,000



### COMPATIBILITY

All types of tile or slate roof covering - Alternative lead flashing.

- 170mm Ø = 22,000mm<sup>2</sup>
- 150mm Ø = 16,000mm<sup>2</sup>
- 125mm Ø = 11,000mm<sup>2</sup>
- 110mm Ø = 8,400mm<sup>2</sup>

### USE

- On roofs with any tile or slate
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building

12.5° min. pitch  
22,000mm<sup>2</sup> free ventilation area  
Replaces 1 tile or slate  
UV stabilised PP top

| DESCRIPTION      | COLOUR     | SINGLE CODE | MULTI CODE      | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|------------------|------------|-------------|-----------------|----------------|-----------------|------------------|
| Universal 22,000 | Terracotta | RTV-UNIZTE  | RTVMULTI-UNIZTE | 4              | 60              | Next Working Day |
| Universal 22,000 | Brown      | RTV-UNIZBR  | RTVMULTI-UNIZBR | 4              | 60              | Next Working Day |
| Universal 22,000 | Grey       | RTV-UNIZGR  | RTVMULTI-UNIZGR | 4              | 60              | Next Working Day |
| Universal 22,000 | Red        | RTV-UNIZRD  | RTVMULTI-UNIZRD | 4              | 60              | Next Working Day |
| Universal 22,000 | Black      | RTV-UNIZBL  | RTVMULTI-UNIZBL | 4              | 60              | Next Working Day |



## TRIED. TESTED. TRUSTED.

Timloc Building Products' InVentive range of roof tile and slate vents has successfully undergone BRE testing to PD CEN/TR 15601 for resistance to wind-driven rain, giving further assurance of quality and reliability.

Each test is a thorough evaluation of the vents' impact on roof weather tightness. The results speak for themselves — every vent tested successfully maintained the roof's weatherproof performance, providing proven protection and long-term reliability.

# INVENTIVE

## Roof ventilation solutions


### SLATE VENTS

Available in single, multi and pallet quantities\*  
Multi = X vents in 1 box (order as each using multi code)

\*Excludes 4001. Available in pack quantities only.



#### UNIVERSAL INLINE SLATE



#### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 300 x 600mm (WxH)
- 250 x 500mm (WxH)


#### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION  | COLOUR | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|--------------|--------|-------------|---------------|----------------|-----------------|------------------|
| Inline Slate | Black  | RTV-ISBL    | RTVMULTI-ISBL | 5              | 120             | Next Working Day |

#### SMALL INLINE SLATE



#### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 400 x 250mm (WxH)
- 400 x 225mm (WxH)
- 400 x 200mm (WxH)
- 350 x 250mm (WxH)
- 350 x 200mm (WxH)
- 300 x 200mm (WxH)

#### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION  | COLOUR | SINGLE CODE | MULTI CODE     | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|--------------|--------|-------------|----------------|----------------|-----------------|------------------|
| Small Inline | Black  | RTV-SISBL   | RTVMULTI-SISBL | 5              | 120             | Next Working Day |

#### HOODED SLATE



#### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 300 x 600mm (WxH)
- 250 x 500mm (WxH)


#### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION  | COLOUR | SINGLE CODE | MULTI CODE    | MULTI QUANTITY | PALLET QUANTITY | LEAD TIME        |
|--------------|--------|-------------|---------------|----------------|-----------------|------------------|
| Hooded Slate | Black  | RTV-HSBL    | RTVMULTI-HSBL | 4              | 68              | Next Working Day |

#### UNIVERSAL HOODED SLATE



#### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 300 x 600mm (WxH)
- 250 x 500mm (WxH)

#### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



| DESCRIPTION      | COLOUR | SINGLE CODE | PACK QUANTITY | PALLET QUANTITY | LEAD TIME        |
|------------------|--------|-------------|---------------|-----------------|------------------|
| Universal Hooded | Black  | 4001        | 5             | 120             | Next Working Day |

### ADAPTERS & ACCESSORIES

Compatible accessories for connection to ventilation ducts or soil vent pipes.




#### STANDARD ADAPTER RTV-ADS

110mm connection for ventilation ducts or soil vent pipes

#### COMPATIBILITY

- CASTELLATED
- DOUBLE PANTILE
- DOUBLE ROMAN
- FLAT EDGE
- NON-PROFILE
- THIN LEADING EDGE



#### PLAIN ADAPTER RTV-ADP

110mm connection for ventilation ducts or soil vent pipes

#### COMPATIBILITY

- INTERLOCKING PLAIN
- PLAIN
- LOW PROFILE PLAIN
- SLIP PLAIN




#### INLINE SLATE ADAPTER RTV-ADIS

110mm connection for ventilation ducts or soil vent pipes

#### COMPATIBILITY

- INLINE SLATE
- SMALL INLINE SLATE



#### HOODED SLATE ADAPTER RTV-ADHS

110mm connection for ventilation ducts or soil vent pipes

#### COMPATIBILITY

- HOODED SLATE



#### MULTI STEPPED DUCT ADAPTER RTV-ADMULTI

Connection for various sizes of ventilation duct

#### COMPATIBILITY

- STANDARD ADAPTER
- PLAIN ADAPTER
- INLINE SLATE ADAPTER
- 110MM FLEXI-PIPE



| DESCRIPTION                | PRODUCT CODE | BOX QUANTITY | LEAD TIME        |
|----------------------------|--------------|--------------|------------------|
| Standard Tile Vent Adapter | RTV-ADS      | 12           | Next Working Day |
| Plain Tile Vent Adapter    | RTV-ADP      | 12           | Next Working Day |
| Hooded Slate Vent Adapter  | RTV-ADHS     | 10           | Next Working Day |
| Inline Slate Vent Adapter  | RTV-ADIS     | 10           | Next Working Day |
| Multi Stepped Duct Adapter | RTV-ADMULTI  | 10           | Next Working Day |

Compatibility chart for the full range of accessories available in the InVentive tile and slate vent range.


| Tile / Slate Vent Type          |              | Compatible Accessory Options              |              |               |
|---------------------------------|--------------|-------------------------------------------|--------------|---------------|
| TILE / SLATE VENT               | PRODUCT CODE | COMPATIBLE ACCESSORIES                    | PRODUCT CODE | PACK QUANTITY |
| Castellated                     | RTV-C        | Standard Adapter                          | RTV-ADS      | 12            |
| Double Pantile                  | RTV-DP       |                                           | RTV-ADMULTI  | 10            |
| Double Roman                    | RTV-DR       | Multi Adapter                             |              |               |
| Flat Edge                       | RTV-FE       | Flexi-Pipe + Clamp                        | RTV-KIT1     | 1             |
| Non-Profile                     | RTV-NP       |                                           | RTV-KIT2     | 1             |
| Thin Leading Edge               | RTV-TE       | Flexi-Pipe + Clamp + Standard Adapter     |              |               |
| Mini Castellated                | RTV-MC       | Multi Adapter                             | RTV-ADMULTI  | 10            |
| Single Pantile                  | RTV-SP       | Flexi-Pipe + Clamp                        | RTV-KIT1     | 1             |
| Plain                           | RTV-P        | Plain Adapter                             | RTV-ADP      | 12            |
| Interlocking Plain              | RTV-IP       | Multi Adapter                             | RTV-ADMULTI  | 10            |
| Low Profile Plain               | RTV-LPP      | Flexi-Pipe + Clamp                        | RTV-KIT1     | 1             |
| Slip Plain                      | RTV-SLIP     | Flexi-Pipe + Clamp + Plain Adapter        | RTV-KIT3     | 1             |
| Universal                       | RTV-UNI      | Flexi-Pipe                                | RTV-KIT1     | 1             |
| Universal 22,000mm <sup>2</sup> | RTV-UNI2     |                                           |              |               |
| Universal Inline Slate          | RTV-IS       | Inline Slate Adapter                      | RTV-ADIS     | 10            |
|                                 |              | Multi Adapter                             | RTV-ADMULTI  | 10            |
| Small Inline Slate              | RTV-SIS      | Flexi-Pipe + Clamp                        | RTV-KIT1     | 1             |
|                                 |              | Flexi-Pipe + Clamp + Inline Slate Adapter | RTV-KIT4     | 1             |
| Hooded Slate                    | RTV-HS       | Hooded Slate Adapter                      | RTV-ADHS     | 10            |
|                                 |              | Flexi-Pipe + Clamp                        | RTV-KIT1     | 1             |
| Universal Hooded Slate          | 4001         | Pipe Adapter + Flexible PVC Pipe          | 4101         | 1             |
|                                 |              | Pipe Adapter only                         | 4102         | 1             |
|                                 |              | Flexible PVC Pipe only                    | 4103         | 1             |



## FLEXI-PIPE KITS

To connect vents to 110mm ventilation duct or soil vent pipe

The 110mm Flexi-Pipe Kits are also compatible with the Multi Stepped Duct Adapter (RTV-ADMULTI)

| RTV-KIT1                                                                                                        | RTV-KIT2                                                                                                                                       | RTV-KIT3                                                                                                                                    | RTV-KIT4                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FLEXI-PIPE ONLY</b>                                                                                          | <b>with STANDARD ADAPTER</b>                                                                                                                   | <b>with PLAIN ADAPTER</b>                                                                                                                   | <b>with INLINE SLATE ADAPTER</b>                                                                                                                   |
|                              |                                                             |                                                          |                                                                |
| <b>KIT CONTAINS:</b> <ul style="list-style-type: none"><li>• 1 x Flexi-Pipe</li><li>• 1 x Screw Clamp</li></ul> | <b>KIT CONTAINS:</b> <ul style="list-style-type: none"><li>• 1 x Flexi-Pipe</li><li>• 1 x Screw Clamp</li><li>• 1 x Standard Adapter</li></ul> | <b>KIT CONTAINS:</b> <ul style="list-style-type: none"><li>• 1 x Flexi-Pipe</li><li>• 1 x Screw Clamp</li><li>• 1 x Plain Adapter</li></ul> | <b>KIT CONTAINS:</b> <ul style="list-style-type: none"><li>• 1 x Flexi-Pipe</li><li>• 1 x Screw Clamp</li><li>• 1 x Inline Slate Adapter</li></ul> |
| <b>COMPATIBLE WITH:</b> <ul style="list-style-type: none"><li>• RTV-MC</li><li>• RTV-SP</li></ul>               | <b>COMPATIBLE WITH:</b> <ul style="list-style-type: none"><li>• RTV-C</li><li>• RTV-DP</li><li>• RTV-DR</li><li>• RTV-FE</li></ul>             | <b>COMPATIBLE WITH:</b> <ul style="list-style-type: none"><li>• RTV-P</li><li>• RTV-IP</li><li>• RTV-LPP</li><li>• RTV-SLIP</li></ul>       | <b>COMPATIBLE WITH:</b> <ul style="list-style-type: none"><li>• RTV-IS</li><li>• RTV-SIS</li></ul>                                                 |

| DESCRIPTION                   | PRODUCT CODE | BOX QUANTITY | LEAD TIME        |
|-------------------------------|--------------|--------------|------------------|
| Flexi-Pipe + Clamp            | RTV-KIT1     | 1            | Next Working Day |
| Flexi-Pipe + RTV-ADS + Clamp  | RTV-KIT2     | 1            | Next Working Day |
| Flexi-Pipe + RTV-ADP + Clamp  | RTV-KIT3     | 1            | Next Working Day |
| Flexi-Pipe + RTV-ADIS + Clamp | RTV-KIT4     | 1            | Next Working Day |

## PRODUCT CODES

For the entire Timloc Roofline range of products.

## VENTILATION

| Product Code | Description                                         | Colour | Qty | Lead Time        | Page |
|--------------|-----------------------------------------------------|--------|-----|------------------|------|
| 1139         | Push-In Soffit Vent                                 | Grey   | 10  | Next Working Day | 4    |
| 1140         | Push-In Soffit Vent                                 | White  | 10  | Next Working Day | 4    |
| 1141         | Push-In Soffit Vent                                 | Black  | 10  | Next Working Day | 4    |
| 1142         | Push-In Soffit Vent                                 | Brown  | 10  | Next Working Day | 4    |
| 1137BL       | Soffit Vent Strip 10mm Airflow 2.4m                 | Black  | 10  | Next Working Day | 4    |
| 1137BR       | Soffit Vent Strip 10mm Airflow 2.4m                 | Brown  | 10  | Next Working Day | 4    |
| 1137WH       | Soffit Vent Strip 10mm Airflow 2.4m                 | White  | 10  | Next Working Day | 4    |
| 1138BR       | Soffit Vent Strip 25mm Airflow 2.4m                 | Brown  | 10  | Next Working Day | 4    |
| 1138WH       | Soffit Vent Strip 25mm Airflow 2.4m                 | White  | 10  | Next Working Day | 4    |
| 3014         | 2-in-1 Eaves Vent                                   | Black  | 20  | Next Working Day | 5    |
| 3014C        | 3-in-1 Eaves Vent                                   | Black  | 10  | Next Working Day | 5    |
| 3011BL       | Over Fascia Vent 300mm 10mm Airflow                 | Black  | 10  | Next Working Day | 5    |
| 3011WH       | Over Fascia Vent 300mm 10mm Airflow                 | White  | 10  | Next Working Day | 5    |
| 3011/25BL    | Over Fascia Vent 300mm 25mm Airflow                 | Black  | 10  | Next Working Day | 5    |
| 3011/25WH    | Over Fascia Vent 300mm 25mm Airflow                 | White  | 10  | Next Working Day | 5    |
| OF1BL        | Over Fascia Vent 1m 10mm Airflow                    | Black  | 25  | Next Working Day | 5    |
| OF2BL        | Over Fascia Vent 1m 25mm Airflow                    | Black  | 20  | Next Working Day | 5    |
| 1136         | Eaves Bird Comb Filler                              | Black  | 50  | Next Working Day | 6    |
| 3012         | Corbel Roof Eaves Vent 10mm Airflow 2.4m            | Black  | 10  | Next Working Day | 6    |
| 1121         | Rafter Roll 300mm x 6m                              | Black  | 10  | Next Working Day | 6    |
| 1171         | Rafter Roll 400mm x 6m                              | Black  | 12  | Next Working Day | 6    |
| 1131         | Rafter Roll 600mm x 6m                              | Black  | 5   | Next Working Day | 6    |
| 1151         | Rafter Roll 800mm x 6m                              | Black  | 6   | Next Working Day | 6    |
| EVP6         | 3 in 1 Eaves Vent Pack 10mm Airflow 6m (300mm Roll) | Black  | 1   | Next Working Day | 7    |
| EVP6/25      | 3 in 1 Eaves Vent Pack 25mm airflow 6m (300mm Roll) | Black  | 1   | Next Working Day | 7    |
| EVP6/25600   | 3 in 1 Eaves Vent Pack 25mm airflow 6m (600mm Roll) | Black  | 1   | Next Working Day | 7    |
| EVP6/600     | 3 in 1 Eaves Vent Pack 10mm airflow 6m (600mm Roll) | Black  | 1   | Next Working Day | 7    |
| 3017         | Felt Support Tray 1500mm                            | Black  | 10  | Next Working Day | 7    |
| 1128         | Felt Support Tray 600mm                             | Black  | 20  | Next Working Day | 7    |
| 5560         | Lap Vent                                            | White  | 10  | Next Working Day | 8    |

## FLASHING

| Product Code | Description                     | Colour | Qty | Lead Time        | Page |
|--------------|---------------------------------|--------|-----|------------------|------|
| LF150        | PbFree Lead-Free Flashing 150mm | Grey   | 1   | Next Working Day | 9    |
| LF300        | PbFree Lead-Free Flashing 300mm | Grey   | 1   | Next Working Day | 9    |
| LF450        | PbFree Lead-Free Flashing 450mm | Grey   | 1   | Next Working Day | 9    |

# DRY RIDGE & HIP KITS

| Product Code | Description                                    | Colour | Qty   | Lead Time        | Page |
|--------------|------------------------------------------------|--------|-------|------------------|------|
| 54700        | 6m Dry Fix Ridge Kit                           | Black  | 1     | Next Working Day | 10   |
| 51700        | 10m Dry Fix Ridge Kit                          | Black  | 1     | Next Working Day | 10   |
| 53700        | 3m Integrated Dry Fix Ridge Kit                | Black  | 1     | Next Working Day | 11   |
| 54703        | 6m Integrated Dry Fix Ridge Kit                | Black  | 1     | Next Working Day | 11   |
| 54713        | 6m Clay Ridge Kit                              | Black  | 1     | Next Working Day | 11   |
| 54715        | 20x Ridge Unions & 40x Ridge Clips             | Black  | 20+40 | Next Working Day | 11   |
| 54716        | 20x Fixing Screws & Clamping Plates            | Silver | 20    | Next Working Day | 11   |
| 54618        | 13x Ridge Unions & 26x Ridge Clips             | Black  | 13+26 | Next Working Day | 11   |
| 54626        | 13x Fixing Screws & Clamping Plates            | Silver | 13    | Next Working Day | 11   |
| 54710        | 6m Dry Fix Hip Kit                             | Black  | 1     | Next Working Day | 12   |
| 44623        | 6x Hip Tray Only Pack                          | Black  | 6     | Next Working Day | 12   |
| 54618        | 13 x Ridge Unions & 26 x Ridge Clips           | Black  | 13+26 | Next Working Day | 12   |
| 54626        | 13 x Fixing Screws & Clamping Plates           | Silver | 13    | Next Working Day | 12   |
| 44623        | 6 x 1.2m Dry Fix Hip Trays                     | Black  | 6     | Next Working Day | 12   |
| 44630        | Top & Tail clips (20 x large & 20 x small) Kit | Silver | 1     | Next Working Day | 12   |

# DRY FIX VERGE

| Product Code | Description                              | Colour     | Qty | Lead Time        | Page |
|--------------|------------------------------------------|------------|-----|------------------|------|
| 99109        | Universal Dry Fix Ridge Cap - Angled     | Grey       | 10  | Next Working Day | 13   |
| 99108        | Universal Dry Fix Ridge Cap - Angled     | Brown      | 10  | Next Working Day | 13   |
| 99107        | Universal Dry Fix Ridge Cap - Angled     | Black      | 10  | Next Working Day | 13   |
| 99110        | Universal Dry Fix Ridge Cap - Angled     | Terracotta | 10  | Next Working Day | 13   |
| 99183        | Universal Dry Fix Ridge Cap - Angled     | Red        | 10  | Next Working Day | 13   |
| 99113        | Universal Dry Fix Ridge Cap - Round      | Grey       | 10  | Next Working Day | 13   |
| 99112        | Universal Dry Fix Ridge Cap - Round      | Brown      | 10  | Next Working Day | 13   |
| 99136        | Universal Dry Fix Ridge Cap - Round      | Black      | 10  | Next Working Day | 13   |
| 99114        | Universal Dry Fix Ridge Cap - Round      | Terracotta | 10  | Next Working Day | 13   |
| 99184        | Universal Dry Fix Ridge Cap - Round      | Red        | 10  | Next Working Day | 13   |
| 99124        | Universal End Grain Batten Bracket       | Silver     | 20  | Next Working Day | 13   |
| 99141        | Ambi-Verge Universal Dry Fix Verge Piece | Grey       | 20  | Next Working Day | 13   |
| 99142        | Ambi-Verge Universal Dry Fix Verge Piece | Brown      | 20  | Next Working Day | 13   |
| 99143        | Ambi-Verge Universal Dry Fix Verge Piece | Black      | 20  | Next Working Day | 13   |
| 99144        | Ambi-Verge Universal Dry Fix Verge Piece | Terracotta | 20  | Next Working Day | 13   |
| 99153        | Ambi-Verge Eaves Starter                 | Grey       | 8   | Next Working Day | 13   |
| 99155        | Ambi-Verge Eaves Starter                 | Brown      | 8   | Next Working Day | 13   |
| 99154        | Ambi-Verge Eaves Starter                 | Black      | 8   | Next Working Day | 13   |
| 99156        | Ambi-Verge Eaves Starter                 | Terracotta | 8   | Next Working Day | 13   |
| 99121        | Handed Dry Fix Verge - Left Hand Piece   | Grey       | 20  | Next Working Day | 14   |
| 99120        | Handed Dry Fix Verge - Left Hand Piece   | Brown      | 20  | Next Working Day | 14   |
| 99138        | Handed Dry Fix Verge - Left Hand Piece   | Black      | 20  | Next Working Day | 14   |
| 99122        | Handed Dry Fix Verge - Left Hand Piece   | Terracotta | 20  | Next Working Day | 14   |
| 99117        | Handed Dry Fix Verge - Right Hand Piece  | Grey       | 20  | Next Working Day | 14   |
| 99116        | Handed Dry Fix Verge - Right Hand Piece  | Brown      | 20  | Next Working Day | 14   |
| 99137        | Handed Dry Fix Verge - Right Hand Piece  | Black      | 20  | Next Working Day | 14   |
| 99118        | Handed Dry Fix Verge - Right Hand Piece  | Terracotta | 20  | Next Working Day | 14   |

| Product Code | Description                                      | Colour     | Qty | Lead Time        | Page |
|--------------|--------------------------------------------------|------------|-----|------------------|------|
| 99126        | Handed Dry Fix Verge Eaves Starter L&R Pair      | Grey       | 1+1 | Next Working Day | 14   |
| 99125        | Handed Dry Fix Verge Eaves Starter L&R Pair      | Brown      | 1+1 | Next Working Day | 14   |
| 99130        | Handed Dry Fix Verge Eaves Starter L&R Pair      | Black      | 1+1 | Next Working Day | 14   |
| 99127        | Handed Dry Fix Verge Eaves Starter L&R Pair      | Terracotta | 1+1 | Next Working Day | 14   |
| 99174        | Interlocking Plain Universal Dry Fix Verge Piece | Grey       | 40  | Next Working Day | 14   |
| 99176        | Interlocking Plain Universal Dry Fix Verge Piece | Brown      | 40  | Next Working Day | 14   |
| 99173        | Interlocking Plain Universal Dry Fix Verge Piece | Black      | 40  | Next Working Day | 14   |
| 99175        | Interlocking Plain Universal Dry Fix Verge Piece | Terracotta | 40  | Next Working Day | 14   |
| 99182        | Interlocking Plain Universal Dry Fix Verge Piece | Red        | 40  | Next Working Day | 14   |
| 99178        | Interlocking Plain Eaves Starter                 | Grey       | 10  | Next Working Day | 14   |
| 99180        | Interlocking Plain Eaves Starter                 | Brown      | 10  | Next Working Day | 14   |
| 99177        | Interlocking Plain Eaves Starter                 | Black      | 10  | Next Working Day | 14   |
| 99179        | Interlocking Plain Eaves Starter                 | Terracotta | 10  | Next Working Day | 14   |
| 99181        | Interlocking Plain Eaves Starter                 | Red        | 10  | Next Working Day | 14   |
| 99158        | Thin Leading Edge Verge - Left Hand Piece        | Grey       | 20  | Next Working Day | 15   |
| 99160        | Thin Leading Edge Verge - Left Hand Piece        | Brown      | 20  | Next Working Day | 15   |
| 99157        | Thin Leading Edge Verge - Left Hand Piece        | Black      | 20  | Next Working Day | 15   |
| 99159        | Thin Leading Edge Verge - Left Hand Piece        | Terracotta | 20  | Next Working Day | 15   |
| 99162        | Thin Leading Edge Verge - Right Hand Piece       | Grey       | 20  | Next Working Day | 15   |
| 99164        | Thin Leading Edge Verge - Right Hand Piece       | Brown      | 20  | Next Working Day | 15   |
| 99161        | Thin Leading Edge Verge - Right Hand Piece       | Black      | 20  | Next Working Day | 15   |
| 99163        | Thin Leading Edge Verge - Right Hand Piece       | Terracotta | 20  | Next Working Day | 15   |
| 99166        | Thin Leading Edge Verge - Eaves Starter (LH)     | Grey       | 10  | Next Working Day | 15   |
| 99168        | Thin Leading Edge Verge - Eaves Starter (LH)     | Brown      | 10  | Next Working Day | 15   |
| 99165        | Thin Leading Edge Verge - Eaves Starter (LH)     | Black      | 10  | Next Working Day | 15   |
| 99167        | Thin Leading Edge Verge - Eaves Starter (LH)     | Terracotta | 10  | Next Working Day | 15   |
| 99170        | Thin Leading Edge Verge - Eaves Starter (RH)     | Grey       | 10  | Next Working Day | 15   |
| 99172        | Thin Leading Edge Verge - Eaves Starter (RH)     | Brown      | 10  | Next Working Day | 15   |
| 99169        | Thin Leading Edge Verge - Eaves Starter (RH)     | Black      | 10  | Next Working Day | 15   |
| 99171        | Thin Leading Edge Verge - Eaves Starter (RH)     | Terracotta | 10  | Next Working Day | 15   |
| 66101        | Continuous Dry Fix Verge Piece - New Build       | Grey       | 4   | Next Working Day | 15   |
| 66105        | Continuous Dry Fix Verge Piece - Refurbishment   | Grey       | 4   | Next Working Day | 15   |
| 66117        | Continuous Dry Fix Verge Eaves Starter L&R Pair  | Grey       | 1+1 | Next Working Day | 15   |
| 66120        | Continuous Dry Fix Verge Angled Ridge Cap        | Grey       | 1   | Next Working Day | 15   |
| 66124        | Continuous Dry Fix Verge Joint Union             | Grey       | 1   | Next Working Day | 15   |

## LEAD REPLACEMENT SOAKERS

| Product Code | Description                           | Colour | Qty | Lead Time        | Page |
|--------------|---------------------------------------|--------|-----|------------------|------|
| AS-PLAIN     | Ambi-Soaker Plain Soaker              | Black  | 50  | Next Working Day | 17   |
| AS-INTPLAIN  | Ambi-Soaker Interlocking Plain Soaker | Black  | 40  | Next Working Day | 17   |
| AS-SLATE     | Ambi-Soaker Slate Soaker              | Black  | 50  | Next Working Day | 17   |
| AS-TLE       | Ambi-Soaker Thin Leading Edge Soaker  | Grey   | 50  | Next Working Day | 17   |
| AS-FLAT      | Ambi-Soaker Flat Soaker               | Grey   | 30  | Next Working Day | 17   |

| Description                       | Colour     | Single Code | Multi Code     | Multi Qty. | Lead Time        | Page |
|-----------------------------------|------------|-------------|----------------|------------|------------------|------|
| Castellated Roof Tile Vent        | Terracotta | RTV-CTE     | RTVMULTI-CTE   | 8          | Next Working Day | 22   |
| Castellated Roof Tile Vent        | Brown      | RTV-CBR     | RTVMULTI-CBR   | 8          | Next Working Day | 22   |
| Castellated Roof Tile Vent        | Grey       | RTV-CGR     | RTVMULTI-CGR   | 8          | Next Working Day | 22   |
| Castellated Roof Tile Vent        | Red        | RTV-CRD     | RTVMULTI-CRD   | 8          | Next Working Day | 22   |
| Double Pantile Roof Tile Vent     | Terracotta | RTV-DPTE    | RTVMULTI-DPTE  | 6          | Next Working Day | 22   |
| Double Pantile Roof Tile Vent     | Brown      | RTV-DPBR    | RTVMULTI-DPBR  | 6          | Next Working Day | 22   |
| Double Pantile Roof Tile Vent     | Grey       | RTV-DPGR    | RTVMULTI-DPGR  | 6          | Next Working Day | 22   |
| Double Pantile Roof Tile Vent     | Red        | RTV-DPRD    | RTVMULTI-DPRD  | 6          | Next Working Day | 22   |
| Double Roman Roof Tile Vent       | Terracotta | RTV-DRTE    | RTVMULTI-DRTE  | 6          | Next Working Day | 22   |
| Double Roman Roof Tile Vent       | Brown      | RTV-DRBR    | RTVMULTI-DRBR  | 6          | Next Working Day | 22   |
| Double Roman Roof Tile Vent       | Grey       | RTV-DRGR    | RTVMULTI-DRGR  | 6          | Next Working Day | 22   |
| Double Roman Roof Tile Vent       | Red        | RTV-DRRD    | RTVMULTI-DRRD  | 6          | Next Working Day | 22   |
| Flat Edge Roof Tile Vent          | Terracotta | RTV-FETE    | RTVMULTI-FETE  | 8          | Next Working Day | 23   |
| Flat Edge Roof Tile Vent          | Brown      | RTV-FEBR    | RTVMULTI-FEBR  | 8          | Next Working Day | 23   |
| Flat Edge Roof Tile Vent          | Grey       | RTV-FEGR    | RTVMULTI-FEGR  | 8          | Next Working Day | 23   |
| Flat Edge Roof Tile Vent          | Red        | RTV-FERD    | RTVMULTI-FERD  | 8          | Next Working Day | 23   |
| Flat Edge Roof Tile Vent          | Black      | RTV-FEBL    | RTVMULTI-FEBL  | 8          | Next Working Day | 23   |
| Non-Profile Roof Tile Vent        | Terracotta | RTV-NPTE    | RTVMULTI-NPTE  | 8          | Next Working Day | 23   |
| Non-Profile Roof Tile Vent        | Brown      | RTV-NPBR    | RTVMULTI-NPBR  | 8          | Next Working Day | 23   |
| Non-Profile Roof Tile Vent        | Grey       | RTV-NPGR    | RTVMULTI-NPGR  | 8          | Next Working Day | 23   |
| Non-Profile Roof Tile Vent        | Red        | RTV-NPRD    | RTVMULTI-NPRD  | 8          | Next Working Day | 23   |
| Non-Profile Roof Tile Vent        | Black      | RTV-NPBL    | RTVMULTI-NPBL  | 8          | Next Working Day | 23   |
| Thin Leading Edge Roof Tile Vent  | Terracotta | RTV-TETE    | RTVMULTI-TETE  | 8          | Next Working Day | 23   |
| Thin Leading Edge Roof Tile Vent  | Brown      | RTV-TEBR    | RTVMULTI-TEBR  | 8          | Next Working Day | 23   |
| Thin Leading Edge Roof Tile Vent  | Grey       | RTV-TEGR    | RTVMULTI-TEGR  | 8          | Next Working Day | 23   |
| Thin Leading Edge Roof Tile Vent  | Red        | RTV-TERD    | RTVMULTI-TERD  | 8          | Next Working Day | 23   |
| Thin Leading Edge Roof Tile Vent  | Black      | RTV-TEBL    | RTVMULTI-TEBL  | 8          | Next Working Day | 23   |
| Mini Castellated Roof Tile Vent   | Terracotta | RTV-MCTE    | RTVMULTI-MCTE  | 14         | Next Working Day | 24   |
| Mini Castellated Roof Tile Vent   | Brown      | RTV-MCBR    | RTVMULTI-MCBR  | 14         | Next Working Day | 24   |
| Mini Castellated Roof Tile Vent   | Grey       | RTV-MCGR    | RTVMULTI-MCGR  | 14         | Next Working Day | 24   |
| Mini Castellated Roof Tile Vent   | Red        | RTV-MCRD    | RTVMULTI-MCRD  | 14         | Next Working Day | 24   |
| Single Pantile Roof Tile Vent     | Terracotta | RTV-SPTTE   | RTVMULTI-SPTTE | 11         | Next Working Day | 24   |
| Single Pantile Roof Tile Vent     | Brown      | RTV-SPBR    | RTVMULTI-SPBR  | 11         | Next Working Day | 24   |
| Single Pantile Roof Tile Vent     | Grey       | RTV-SPGR    | RTVMULTI-SPGR  | 11         | Next Working Day | 24   |
| Single Pantile Roof Tile Vent     | Red        | RTV-SPRD    | RTVMULTI-SPRD  | 11         | Next Working Day | 24   |
| Interlocking Plain Roof Tile Vent | Terracotta | RTV-IPTE    | RTVMULTI-IPTE  | 12         | Next Working Day | 24   |
| Interlocking Plain Roof Tile Vent | Brown      | RTV-IPBR    | RTVMULTI-IPBR  | 12         | Next Working Day | 24   |
| Interlocking Plain Roof Tile Vent | Grey       | RTV-IPGR    | RTVMULTI-IPGR  | 12         | Next Working Day | 24   |
| Interlocking Plain Roof Tile Vent | Red        | RTV-IPRD    | RTVMULTI-IPRD  | 12         | Next Working Day | 24   |
| Plain Roof Tile Vent              | Terracotta | RTV-PTE     | RTVMULTI-PTE   | 14         | Next Working Day | 25   |
| Plain Roof Tile Vent              | Brown      | RTV-PBR     | RTVMULTI-PBR   | 14         | Next Working Day | 25   |
| Plain Roof Tile Vent              | Grey       | RTV-PGR     | RTVMULTI-PGR   | 14         | Next Working Day | 25   |
| Plain Roof Tile Vent              | Red        | RTV-PRD     | RTVMULTI-PRD   | 14         | Next Working Day | 25   |

| Description                      | Colour     | Single Code | Multi Code       | Multi Qty. | Lead Time        | Page |
|----------------------------------|------------|-------------|------------------|------------|------------------|------|
| Low Profile Plain Roof Tile Vent | Terracotta | RTV-LPPTTE  | RTVMULTI-LLPTE   | 14         | Next Working Day | 25   |
| Low Profile Plain Roof Tile Vent | Brown      | RTV-LPPBR   | RTVMULTI-LLPBR   | 14         | Next Working Day | 25   |
| Low Profile Plain Roof Tile Vent | Grey       | RTV-LPPGR   | RTVMULTI-LLPGR   | 14         | Next Working Day | 25   |
| Low Profile Plain Roof Tile Vent | Red        | RTV-LPPRD   | RTVMULTI-LLPRD   | 14         | Next Working Day | 25   |
| Slip Plain Roof Tile Vent        | Terracotta | RTV-SLIPTTE | RTVMULTI-SLIPTTE | 14         | Next Working Day | 25   |
| Slip Plain Roof Tile Vent        | Brown      | RTV-SLIPBR  | RTVMULTI-SLIPBR  | 14         | Next Working Day | 25   |
| Slip Plain Roof Tile Vent        | Grey       | RTV-SLIPGR  | RTVMULTI-SLIPGR  | 14         | Next Working Day | 25   |
| Slip Plain Roof Tile Vent        | Red        | RTV-SLIPRD  | RTVMULTI-SLIPRD  | 14         | Next Working Day | 25   |
| Universal Roof Tile Vent         | Terracotta | RTV-UNITE   | RTVMULTI-UNITE   | 4          | Next Working Day | 26   |
| Universal Roof Tile Vent         | Brown      | RTV-UNIBR   | RTVMULTI-UNIBR   | 4          | Next Working Day | 26   |
| Universal Roof Tile Vent         | Grey       | RTV-UNIGR   | RTVMULTI-UNIGR   | 4          | Next Working Day | 26   |
| Universal Roof Tile Vent         | Red        | RTV-UNIRD   | RTVMULTI-UNIRD   | 4          | Next Working Day | 26   |
| Universal Roof Tile Vent         | Black      | RTV-UNIBL   | RTVMULTI-UNIBL   | 4          | Next Working Day | 26   |
| Universal 22,000 Roof Tile Vent  | Terracotta | RTV-UNI2TE  | RTVMULTI-UNI2TE  | 4          | Next Working Day | 26   |
| Universal 22,000 Roof Tile Vent  | Brown      | RTV-UNI2BR  | RTVMULTI-UNI2BR  | 4          | Next Working Day | 26   |
| Universal 22,000 Roof Tile Vent  | Grey       | RTV-UNI2GR  | RTVMULTI-UNI2GR  | 4          | Next Working Day | 26   |
| Universal 22,000 Roof Tile Vent  | Red        | RTV-UNI2RD  | RTVMULTI-UNI2RD  | 4          | Next Working Day | 26   |
| Universal 22,000 Roof Tile Vent  | Black      | RTV-UNI2BL  | RTVMULTI-UNI2BL  | 4          | Next Working Day | 26   |
| Universal Inline Slate Vent      | Black      | RTV-ISBL    | RTVMULTI-ISBL    | 5          | Next Working Day | 27   |
| Small Inline Slate Vent          | Black      | RTV-SISBL   | RTVMULTI-SISBL   | 5          | Next Working Day | 27   |
| Hooded Slate                     | Black      | RTV-HSBL    | RTVMULTI-HBL     | 4          | Next Working Day | 27   |

| Product Code | Description                                       | Colour | Pack Qty. | Lead Time        | Page |
|--------------|---------------------------------------------------|--------|-----------|------------------|------|
| 4001         | Universal Slate Vent                              | Black  | 5         | Next Working Day | 27   |
| 4101         | Pipe Adapter Kit - For Universal Slate Vent       | Black  | 1         | Next Working Day | 29   |
| 4102         | Pipe Adapter Only - For Universal Slate Vent      | Black  | 1         | Next Working Day | 29   |
| 4103         | Flexible PVC Pipe Only - For Universal Slate Vent | White  | 1         | Next Working Day | 29   |
| RTV-ADS      | Standard Tile Vent Adapter                        | Black  | 12        | Next Working Day | 28   |
| RTV-ADP      | Plain Tile Vent Adapter                           | Black  | 12        | Next Working Day | 28   |
| RTV-ADIS     | Inline Slate Vent Adapter                         | Black  | 10        | Next Working Day | 28   |
| RTV-ADHS     | Hooded Slate Vent Adapter                         | Black  | 10        | Next Working Day | 28   |
| RTV-ADMULTI  | Multi Stepped Duct Adapter                        | Black  | 10        | Next Working Day | 28   |
| RTV-KIT1     | Flexi-Pipe + Clamp                                | Black  | 1         | Next Working Day | 29   |
| RTV-KIT2     | Flexi-Pipe + Clamp + RTV-ADS                      | Black  | 1         | Next Working Day | 29   |
| RTV-KIT3     | Flexi-Pipe + Clamp + RTV-ADP                      | Black  | 1         | Next Working Day | 29   |
| RTV-KIT4     | Flexi-Pipe + Clamp + RTV-ADIS                     | Black  | 1         | Next Working Day | 29   |

# GUIDES

Whether you need comprehensive product information, condensed data on a specific category, or an update on Timloc's ESG developments, we will have the guide to suit.

Scan the QR code for digital versions of the Timloc product guide, category guides and datasheets.

For print copies, please email: [sales@timloc.co.uk](mailto:sales@timloc.co.uk)



## PRODUCT GUIDE

Product guide consisting of datasheets, codes and pack quantities for the entire Timloc product range.



## SUSTAINABILITY GUIDE


Information on the steps Timloc has taken to be at the forefront of sustainability in our industry.

## CATEGORY GUIDES


Key information, codes and pack quantities for individual product categories when the full product guide is not required.




### ACCESS PRODUCTS



### CAVITY CLOSERS & STOP SOCKS



### CAVITY TRAYS




### CIVILS & GROUNDWORKS



### CONSTRUCTION ACCESSORIES



### FIRE-RATED & NON-COMBUSTIBLE



### METER BOXES



### ROOFLINE



# ROOFLINE

by **timloc**

Sales | T: 01405 765 567 E: [sales@timloc.co.uk](mailto:sales@timloc.co.uk) Technical | T: 01405 782 769 E: [technical@timloc.co.uk](mailto:technical@timloc.co.uk)

Timloc Building Products | Timloc House, Ozone Park, Howden, East Yorkshire DN14 7SD