

# ROOFLINE

by **timloc**

Ventilation, ancillary and dry fix installation solutions for the roofline and above



**INVENTIVE  
ROOF VENTS**



**DRY  
RIDGE &  
HIP KITS**



**RAFTER  
ROLL**



**DRY  
VERGE**



**AMBI-  
SOAKERS**



**SOFFIT  
VENTILATION**



**EAVES  
SOLUTIONS**

# EVERYTHING UNDER ONE ROOF

The Roofline by Timloc range encompasses the ancillary products required within a roofing application. Our products range from ventilation systems for roofs, eaves and soffits to one-kit solutions for dry ridge and hip installations.



Look for the **EPD icon** to identify products with an EPD.

Scan the QR code to request access to our EPD documents.



## Ventilation

Push-in Soffit Vent	4
Soffit Vent Strip	4
2-in-1 / 3-in-1 Eaves Vent	5
Felt Support Tray	5
Eaves Bird Comb Filler	5
300mm Over Fascia Vent	6
1m Over Fascia Vent	6
Corbel Vent	6
Rafter Roll	7
6M Eaves Vent Pack	7
Lap Vent by Timloc	8

## Flashing

PbFree Lead-Free Flashing	9
---------------------------	---

## Dry Ridge & Hip Kits

Dry Fix Ridge Kit	10
Integrated Dry Fix Ridge Kit	11
Dry Fix Clay Ridge Kit	11
Dry Fix Hip Kit	12
Hip Kit Accessories	12

## Dry Fix Verge

Universal Caps & Brackets	13
Ambi-Verge	13
Handed Dry Fix Verge	14
Interlocking Plain Dry Fix Verge	14
Thin Leading Edge Dry Fix Verge	15
Continuous Dry Fix Verge	15

# CONTENTS

## Lead Replacement Soakers

Plain Ambi-Soaker	17
Interlocking Plain Ambi-Soaker	17
Slate Ambi-Soaker	17
Thin Leading Edge Ambi-Soaker	17
Flat Ambi-Soaker	17

**INVENTIVE**  
Roof ventilation solutions

## Tile & Slate Vents

Castellated Tile Vent	22
Double Pantile Tile Vent	22
Double Roman Tile Vent	22
Flat Edge Tile Vent	23
Non-Profile Tile Vent	23
Thin Leading Edge Tile Vent	23
Mini Castellated Tile Vent	24
Single Pantile Tile Vent	24
Interlocking Plain Tile Vent	24
Plain Tile Vent	25
Low Profile Plain Tile Vent	25
Slip Plain Tile Vent	25
Universal Tile Vent	26
Universal 22,000mm <sup>2</sup> Tile Vent	26
Universal Inline Slate Vent	27
Small Inline Slate Vent	27
Hooded Slate Vent	27
Universal Hooded Slate Vent	27
Adapters & Accessories	28

## TECHNICAL SUPPORT

Full product information is available on the Timloc website. If you require any further assistance please contact Technical via the details below:

Phone: **01405 782 769** | Email: [technical@timloc.co.uk](mailto:technical@timloc.co.uk)

Scan the QR code to view full product datasheets.



# VENTILATION

## ALLOWING ROOFS TO BREATHE

Ventilation is important, it helps to mitigate condensation, regulate moisture levels, and maintain thermal balance. Continuous circulation helps protect structural timbers, insulation and internal finishes from long-term damage caused by trapped heat or humidity. Our comprehensive range of roof ventilation, ancillary and dry fix installation solutions is engineered to meet industry standards, providing the assurance of proven quality, reliability and durability.

### PUSH-IN SOFFIT VENT

#### USE

- For roof eaves ventilation
- For remedial work on existing roofs
- On roofs where the eaves incorporate a soffit board
- On roofs requiring ventilation equivalent to a 10mm continuous opening



PRODUCT CODE	COLOUR	FREE AIRFLOW	PACK QUANTITY	LEAD TIME
1139	Grey	10,000mm <sup>2</sup>	10	Next Working Day
1140	White	10,000mm <sup>2</sup>	10	Next Working Day
1141	Black	10,000mm <sup>2</sup>	10	Next Working Day
1142	Brown	10,000mm <sup>2</sup>	10	Next Working Day



### SOFFIT VENT STRIP

#### USE

- For roof eaves ventilation
- On roofs where the eaves incorporate a soffit board
- With soffit boards of between 6mm and 9mm in thickness

PRODUCT CODE	COLOUR	FREE AIRFLOW	PACK QUANTITY	LEAD TIME
1137WH	White	10,000mm <sup>2</sup>	10	Next Working Day
1137BR	Brown	10,000mm <sup>2</sup>	10	Next Working Day
1137BL	Black	10,000mm <sup>2</sup>	10	Next Working Day
1138WH	White	25,000mm <sup>2</sup>	10	Next Working Day
1138BR	Brown	25,000mm <sup>2</sup>	10	Next Working Day



## 2-IN-1/3-IN-1 EAVES VENT

### USE

- For roof eaves ventilation
- On roofs where the eaves incorporate a fascia board
- On roofs which do not incorporate a soffit board or where an unbroken soffit board is required

PRODUCT CODE	EAVES COMB	FREE AIRFLOW	LENGTH	PACK QUANTITY	LEAD TIME
3014	No	10,000mm <sup>2</sup>	1m	20	Next Working Day
3014C	Yes	10,000mm <sup>2</sup>	1m	10	Next Working Day

## FELT SUPPORT TRAY


### USE

- At the eaves of a roof to support and protect roofing felt
- For remedial work to replace worn or perished roofing felt



PRODUCT CODE	LENGTH	PACK QUANTITY	LEAD TIME
3017	1500mm	10	Next Working Day
1128	600mm	20	Next Working Day

PRODUCT CODE	LENGTH	PALLET QUANTITY	LEAD TIME
4017	1500mm	1000 Unbagged	Next Working Day



## EAVES BIRD COMB FILLER

### USE

- At the eaves of a roof
- Below profiled roof tiles to exclude birds and vermin

PRODUCT CODE	LENGTH	PACK QUANTITY	LEAD TIME
1136	1m	50	Next Working Day



All of our ventilation products are designed with ease of installation in mind, ensuring quick, straightforward fitting without compromising on performance.

Scan the QR code to view the installation advice.

## 300MM OVER FASCIA VENT

### USE

- For roof eaves ventilation
- For flat roof abutment ventilation
- On roofs where the eaves incorporate a fascia board
- On roofs which do not incorporate a soffit board, or where an unbroken soffit board is required



PRODUCT CODE	FREE AIRFLOW	LENGTH	COLOUR	PACK QUANTITY	LEAD TIME
3011BL	10,000mm <sup>2</sup>	300mm	Black	10	Next Working Day
3011WH	10,000mm <sup>2</sup>	300mm	White	10	Next Working Day
3011/25BL	25,000mm <sup>2</sup>	300mm	Black	10	Next Working Day
3011/25W	25,000mm <sup>2</sup>	300mm	White	10	Next Working Day



## 1M OVER FASCIA VENT

### USE

- For roof eaves ventilation
- For flat roof abutment ventilation
- On roofs where the eaves incorporate a fascia board
- On roofs which do not incorporate a soffit board, or where an unbroken soffit board is required

PRODUCT CODE	COLOUR	FREE AIRFLOW	LENGTH	PACK QUANTITY	LEAD TIME
OF1BL	Black	10,000mm <sup>2</sup>	1m	25	Next Working Day
OF2BL	Black	25,000mm <sup>2</sup>	1m	20	Next Working Day

## CORBEL VENT

### USE

- For roof eaves ventilation
- On roofs where ventilation equivalent to a continuous 10mm opening is required
- On roofs where the eaves are corbelled masonry finish
- On roofs which do not incorporate a soffit board or fascia board



PRODUCT CODE	LENGTH	FREE AIRFLOW	PACK QUANTITY	LEAD TIME
3012	2.4m	10,000mm <sup>2</sup>	10	Next Working Day


# ENGINEERED FOR EFFICIENCY



## RAFTER ROLL

### USE

- For pitched roof eaves ventilation
- On standard pitched roofs where the pitch is 15° or more and the roof void is an attic or loft space
- On roofs with rafter spacings between 400mm and 600mm centres



PRODUCT CODE	LENGTH	WIDTH	PACK QUANTITY	LEAD TIME
1121	6m	300mm	10	Next Working Day
1171	6m	400mm	12	Next Working Day
1131	6m	600mm	5	Next Working Day
1151	6m	800mm	6	Next Working Day
1181	6m	1200mm	5	Next Working Day


## 6M EAVES VENT PACK

### USE

- For pitched roof eaves ventilation
- On standard pitched roofs
- On roofs with rafter spacings of between 400mm and 600mm



1 x Rafter Roll (300mm or 600mm width) | 6 x 1m Over Fascia Vent (10,000mm<sup>2</sup> or 25,000mm<sup>2</sup> airflow) | 10 x Felt Support Tray (600mm)



PRODUCT CODE	FREE AIRFLOW	ROLL FORM VENT WIDTH	LEAD TIME
EVP6	10,000mm <sup>2</sup>	300mm	Next Working Day
EVP6/25	25,000mm <sup>2</sup>	300mm	Next Working Day
EVP6/600	10,000mm <sup>2</sup>	600mm	Next Working Day
EVP6/25600	25,000mm <sup>2</sup>	600mm	Next Working Day

Cooler temperatures increase the risk of

# CONDENSATION

in the loft space



**SOLVE IT**  
with

# LAP V<sub>ENT</sub>

A remedial solution for combating condensation in cold roof voids by separating lap joints in the roofing felt/membrane and can be fitted retrospectively after increased loft insulation.



PRODUCT CODE

5560

FREE AIRFLOW

3,000mm<sup>2</sup>

PACK QUANTITY

10

LEAD TIME

Next Working Day

82

# Pb FREE

## LEAD-FREE FLASHING

### USE

- Same applications as traditional lead flashing including flat roof connection, dormers, valley gutters, step and cover flashing, cavity walls and apron flashing
- Can be used in any climate worldwide (-40°C/+90°C)



**NEW  
SMOOTH  
OPTION**



The lead alternative, high-performance aluminium flashing. For the same applications as traditional lead flashing including flat roof connection, dormers, valley gutters, step and cover flashing, cavity walls and apron flashing.

PRODUCT CODE	DESCRIPTION	ROLL WIDTH	LENGTH	PACK QUANTITY	LEAD TIME
LF150	PbFree Lead-free Flashing	150mm	5m	1	Next Working Day
LF300	PbFree Lead-free Flashing	300mm	5m	1	Next Working Day
LF450	PbFree Lead-free Flashing	450mm	5m	1	Next Working Day
SLF150	Smooth PbFree Lead-free Flashing	150mm	5m	1	Next Working Day
SLF300	Smooth PbFree Lead-free Flashing	300mm	5m	1	Next Working Day
SLF450	Smooth PbFree Lead-free Flashing	450mm	5m	1	Next Working Day

# DRY FIX RIDGE KITS



**DRY FIX  
RIDGE KIT**

For use with most types of slate, concrete or clay roof ridge tiles on roof pitches between 15-55°. The ridge union has adjustable clips positions compatible with ridge tiles up to 30mm thickness.



**INTEGRATED DRY  
FIX RIDGE KIT**

For use with most types of slate, concrete or clay roof ridge tiles on roof pitches between 15-55°. The ridge union has integrated clips compatible with ridge tiles up to 18mm thickness.

## DRY FIX RIDGE KIT

### USE

- Most types of slate, concrete or clay roof tiles
- Round or angled ridge tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### 6M PACK:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 13 x fixing screws, washers and clamping plates\*
- 13 x ridge unions
- 26 x ridge clips
- 10 x ridge batten straps



### 10M PACK:

- 1 x 10m ridge roll with self-adhesive flashing\*
- 26 x fixing screws, washers and clamping plates\*
- 26 x ridge unions
- 52 x ridge clips
- 20 x ridge batten straps

PRODUCT CODE	DESCRIPTION	COLOUR	LEAD TIME
54700	6m Dry Fix Ridge Kit	Black	Next Working Day
51700	10m Dry Fix Ridge Kit	Black	Next Working Day

\* Please note, roll flashing and clamping plate colours may vary.

**INTEGRATED  
RIDGE CLIPS**  
for easy  
installation



## INTEGRATED DRY FIX RIDGE KIT

### USE

- Most types of slate, concrete or clay roof tiles
- Round or angled ridge tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### 3M PACK:

- 1 x 3m ridge roll with self-adhesive flashing\*
- 7 x fixing screws, washers and clamping plates\*
- 7 x ridge unions with integrated clips
- 5 x ridge batten straps

### 6M PACK:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 13 x fixing screws, washers and clamping plates\*
- 13 x ridge unions with integrated clips
- 10 x ridge batten straps

PRODUCT CODE	DESCRIPTION	COLOUR	LEAD TIME
53700	3m Integrated Dry Fix Ridge Kit	Black	Next Working Day
54703	6m Integrated Dry Fix Ridge Kit	Black	Next Working Day

\* Please note, roll flashing and clamping plate colours may vary.

## DRY FIX CLAY RIDGE KIT

### USE

- Most types of clay roof tiles
- Round or angled ridge tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### PACK CONTAINS:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 20 x fixing screws, washers and clamping plates\*
- 20 x ridge unions
- 40 x ridge union clips
- 10 x ridge batten straps

\* Please note, roll flashing and clamping plate colours may vary.



PRODUCT CODE	DESCRIPTION	LEAD TIME
54713	6m Dry Fix Clay Ridge Kit	Next Working Day
54715	20 x Ridge Unions & 40 x Ridge Clips	Next Working Day
54716	20 x Fixing Screws & Clamping Plates	Next Working Day

NEED SOMETHING  
EXTRA?



PRODUCT CODE	DESCRIPTION	LEAD TIME
54618	13x ridge unions & 26x ridge clips	Next Working Day
54626	13x fixing screws & clamping plates	Next Working Day

# DRY FIX HIP KITS



## DRY FIX HIP KIT

### USE

- Most types of slate, concrete or clay hip tiles
- Round or angled hip tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

### PACK CONTAINS:

- 1 x 6m ridge roll with self-adhesive flashing\*
- 6 x hip trays
- 13 x fixing screws, washers and clamping plates\*
- 13 x ridge unions
- 26 x ridge union clips
- 10 x ridge batten straps


PRODUCT CODE	DESCRIPTION	COLOUR	LEAD TIME
54710	6m Dry Fix Hip Kit	Black	Next Working Day
54618	13 x Ridge Unions & 26 x Ridge Clips	Black	Next Working Day
54626	13 x Fixing Screws & Clamping Plates	N/A	Next Working Day

\* Please note, roll flashing and clamping plate colours may vary.

## HIP TRAY PACK

### USE

- Most types of slate, concrete or clay hip tiles
- Round or angled hip tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects



PRODUCT CODE	DESCRIPTION	PACK QTY	LEAD TIME
44623	Hip Trays Pack	6	Next Working Day

PRODUCT CODE	DESCRIPTION	PALLET QTY	LEAD TIME
44625	Hip Trays Unbagged	1000	Next Working Day



PRODUCT CODE	DESCRIPTION	LEAD TIME
44630	Top & Tail clips (20x large & 20x small) Kit	Next Working Day

## HIP CLIPS KIT

### USE

- Most types of slate, concrete or clay hip tiles
- Round or angled hip tiles
- Most pitched roof types from 15-55°
- New build and retro-fit projects

# DRY FIX VERGE

## UNIVERSAL CAPS & BRACKETS




### USE

- With Ambi-Verge, Handed, Interlocking Plain and Thin Leading Edge verge systems from Timloc Building Products.



PRODUCT CODE					DESCRIPTION	PACK QUANTITY	LEAD TIME
GREY	BROWN	BLACK	TERRACOTTA	RED			
99109	99108	99107	99110	99183	Universal angled ridge cap	10	Next Working Day
99113	99112	99136	99114	99184	Universal round ridge cap	10	Next Working Day

PRODUCT CODE	DESCRIPTION	PACK QUANTITY	LEAD TIME
99124	Universal end grain batten bracket	20	Next Working Day



## AMBI-VERGE

A universal dry fix verge system for profiled roof tiles is a robust, attractive, and weather-resistant alternative to traditional wet mortar bedding.

### USE

- Large format and interlocking concrete profiled tiles
- Most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects



PRODUCT CODE					DESCRIPTION	PACK QUANTITY	LEAD TIME
GREY	BROWN	BLACK	TERRACOTTA				
99141	99142	99143	99144		Ambi-Verge dry fix verge piece	20	Next Working Day
99153	99155	99154	99156		Ambi-Verge eaves starter	8	Next Working Day

# HANDED DRY FIX VERGE



## USE

- Large format, interlocking concrete and clay profiled tiles
- Batten gauges between 260-345mm
- Most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects



A premium and weather-resistant verge system alternative to traditional wet mortar bedding. Designed to be strong but flexible for easy flexing and sliding along roof tiles.



PRODUCT CODE				DESCRIPTION	PACK QUANTITY	LEAD TIME
GREY	BROWN	BLACK	TERRACOTTA			
99117	99116	99137	99118	Dry fix verge right hand piece	20	Next Working Day
99121	99120	99138	99122	Dry fix verge left hand piece	20	Next Working Day
99126	99125	99130	99127	Dry fix verge eaves starter pack (L+R)	1 + 1	Next Working Day



# INTERLOCKING PLAIN DRY FIX VERGE

A robust, attractive and weather resistant verge system alternative to wet mortar bedding for Interlocking Plain tiles.

## USE

- Developed for Interlocking Plain concrete tiles
- Suitable for most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects



PRODUCT CODE					DESCRIPTION	PACK QUANTITY	LEAD TIME
GREY	BROWN	BLACK	TERRACOTTA	RED			
99174	99176	99173	99175	99182	Interlocking Plain verge	40	Next Working Day
99178	99180	99177	99179	99181	Interlocking Plain eaves starter	10	Next Working Day

# THIN LEADING EDGE DRY FIX VERGE



## USE

- Developed for Thin Leading Edge roof tiles
- Suitable for most pitched roof types from 15-55°
- Verges with or without bargeboards
- New build and refurbishment projects

A robust, attractive and weather resistant verge system alternative to wet mortar bedding for Thin Leading Edge tiles.



PRODUCT CODE				DESCRIPTION	PACK QUANTITY	LEAD TIME
GREY	BROWN	BLACK	TERRACOTTA			
99158	99160	99157	99159	Thin Leading Edge verge (LH)	20	Next Working Day
99162	99164	99161	99163	Thin Leading Edge verge (RH)	20	Next Working Day
99166	99168	99165	99167	Thin Leading Edge eaves starter (LH)	10	Next Working Day
99170	99172	99169	99171	Thin Leading Edge eaves starter (RH)	10	Next Working Day

A continuous verge system, for slate and flat tiles, that presents a clean flush finish and an effective and virtually maintenance free alternative to wet mortar bedding.



# CONTINUOUS DRY FIX VERGE

## USE

- Slate and tile thickness between 4 - 13mm slate and slate-effect tiles



PRODUCT CODE	DESCRIPTION	PACK QTY	LEAD TIME
66101	Continuous verge 3m piece - New build	4	Next Working Day
66105	Continuous verge 3m piece - Refurbishment	4	Next Working Day
66120	Continuous Verge angled ridge cap	1	Next Working Day
66117	Continuous verge eaves starter pair (L+R)	1 + 1	Next Working Day
66124	Continuous verge joint union	1	Next Working Day

# DRY FIX LEAD REPLACEMENT SOAKERS

Patented 'snip off'  
soakers for universal  
fixing

Soakers help to prevent any water ingress at the abutment to a wall and provide an aesthetic finish



IT'S A  
**SNIP**



Simple on-site installation

Compatibility chart available

Cost-saving Lead alternative

Fitting instructions available


Easy snip tab for universal fixing

UV-protected & colourfast Polypropylene

Comprehensive chart of the compatible soakers available from Timloc Building Products to suit popular roof tiles and slates. **If the tile or slate you are using is not listed please get in touch to discuss compatible options to suit your project requirements.**

CODE	DESCRIPTION	COMPATIBILITY	IMAGE
AS-PLAIN	Plain Tiles	Most Plain tiles from major manufacturers including: • Redland Rosemary • Marley Plain • Russell Traditional Plain • Sandtoft Humber Plain	
AS-INTPLAIN	Interlocking Plain Tiles	Most Interlocking Plain tiles from major manufacturers including: • Marley Ashmore • Redland Duoplain • Forticrete Gemini	
AS-SLATE	Slates	Natural or Synthetic Slates Slate sizes 600mm x 300mm or 500mm x 250mm Product can be trimmed to suit smaller slate sizes if required	
AS-TLE	Thin Leading Edge Tiles	Most Thin Leading Edge large format tiles from major manufacturers including: • Marley Edgemere • Redland Richmond • Sandtoft TLE • Russell Galloway • Lagan Elite	
AS-FLAT	Flat Tiles	Most Flat large format tiles from major manufacturers including: • Marley Modern • Marley Duo Modern • Redland Mini Stonewold • Sandtoft Calderdale • Russell Grampian • Russell Highland • Lagan Flat	

## PLAIN



### USE

- Traditional Plain Clay Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects


## INTERLOCKING PLAIN



### USE

- Interlocking Plain Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects


## SLATE



### USE

- Natural or Synthetic slates
- Abutments between a pitched roof and a wall
- New build or refurbishment projects


## THIN LEADING EDGE



### USE

- Thin Leading Edge Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects

## FLAT



### USE

- Large Format Flat Tiles
- Abutments between a pitched roof and a wall
- New build or refurbishment projects



# AS

AMBI-SOAKER

PRODUCT CODE	DESCRIPTION	COLOUR	DIMENSIONS (HxLxW)	PACK QUANTITY	LEAD TIME
AS-PLAIN	Plain	Black	80 x 170 x 100mm	50	Next Working Day
AS-INTPLAIN	Interlocking Plain	Black	80 x 240 x 100mm	40	Next Working Day
AS-SLATE	Slate	Black	80 x 400 x 100mm	50	Next Working Day
AS-TLE	Thin Leading Edge	Grey	98.5 x 432 x 125mm	50	Next Working Day
AS-FLAT	Flat	Grey	114 x 432 x 125mm	30	Next Working Day

# INVENTIVE

## Roof ventilation solutions

Available in **single**, **pack**, and **pallet** quantities



Designed to suit **popular tile and slate types**

**Next day delivery** on the entire product range

Tested to PD CEN/TR 15601 **against wind driven rain**



Full range of **adapters and accessories** available

Comprehensive range of **tile and slate vents** from

**timloc**  
building products

# INVENTIVE PRODUCT RANGE BREAKDOWN

Roof ventilation solutions Available Colours: ● Terracotta (TE) ● Brown (BR) ● Red (RD) ● Grey (GR) ● Black (BL)

Vent	Image	Compatibility	Min. Pitch°	Free Vent Area	Colours	Accessories	Code	Page
Castellated		FP McCann Square Top Lagan Square Top Marley Ludlow Major Redland Renown Russell Cheviot Sandtoft Lindum	20°	10,000mm <sup>2</sup>	●●●●	RTV-ADS RTV-ADMULTI RTV-KITI	RTV-C	22
Double Pantile		Marley Mendip Quinn Locherne Redland Grovebury Redland Landmark Russell Pennine	20°	10,000mm <sup>2</sup>	●●●●	RTV-ADS RTV-ADMULTI RTV-KITI	RTV-DP	22
Double Roman		FP McCann Double Roman Lagan Double Roll Marley Double Roman Redland 50 Double Roman Russell Double Roman Sandtoft Double Roman	20°	10,000mm <sup>2</sup>	●●●●	RTV-ADS RTV-ADMULTI RTV-KITI	RTV-DR	22
Flat Edge		Sandtoft Calderdale Edge Sandtoft Danum	20°	10,000mm <sup>2</sup>	●●●●●	RTV-ADS RTV-ADMULTI RTV-KITI	RTV-FE	23
Non-Profile		Lagan Flat Marley Duo Modern Marley Modern Redland Mini Stonewold Russell Gramplan Russell Highland Sandtoft Calderdale	20°	10,000mm <sup>2</sup>	●●●●●	RTV-ADS RTV-ADMULTI RTV-KITI	RTV-NP	23
Thin Leading Edge		Lagan Elite Marley Edgemere FP McCann Thin Flat Tile FP McCann Duo Thin Flat Tile Redland Richmond Russell Bute Russell Galloway Sandtoft TLE	20°	10,000mm <sup>2</sup>	●●●●●	RTV-ADS RTV-ADMULTI RTV-KITI	RTV-TE	23
Mini Castellated		Forticrete V2 Marley Ludlow Plus Redland 49 Sandtoft Standard Pattern	17.5°	5,000mm <sup>2</sup>	●●●●	RTV-ADMULTI RTV-KITI	RTV-MC	24
Single Pantile		Marley Anglia Redland Fenland Pantile Sandtoft Shire	20°	5,000mm <sup>2</sup>	●●●●	RTV-ADMULTI RTV-KITI	RTV-SP	24
Interlocking Plain		Forticrete Gemini Marley Ashmore Redland Duoplain	22.5°	6,000mm <sup>2</sup>	●●●●	RTV-ADP RTV-ADMULTI RTV-KITI	RTV-IP	24
Plain		Redland Rosemary Marley Plain Russell Traditional Plain Sandtoft Humber Plain	35°	7,000mm <sup>2</sup>	●●●●	RTV-ADP RTV-ADMULTI RTV-KITI	RTV-P	25
Low Profile Plain		Redland Rosemary Marley Plain Russell Traditional Plain Sandtoft Humber Plain	35°	6,100mm <sup>2</sup>	●●●●	RTV-ADP RTV-ADMULTI RTV-KITI	RTV-LPP	25
Slip Plain		Redland Rosemary Marley Plain Russell Traditional Plain Sandtoft Humber Plain	35°	6,100mm <sup>2</sup>	●●●●	RTV-ADP RTV-ADMULTI RTV-KITI	RTV-SLIP	25
Universal		Customisable fit to a wide range of profiled and plain tiles using alternative flashing sheet	12.5°	20,000mm <sup>2</sup> (170mm Ø) 16,000mm <sup>2</sup> (150mm Ø) 11,000mm <sup>2</sup> (125mm Ø) 8,400mm <sup>2</sup> (110mm Ø)	●●●●●	RTV-KITI	RTV-UNI	26
Universal 22,000mm <sup>2</sup>		Customisable fit to a wide range of profiled and plain tiles using alternative flashing sheet	12.5°	22,000mm <sup>2</sup> (170mm Ø) 16,000mm <sup>2</sup> (150mm Ø) 11,000mm <sup>2</sup> (125mm Ø) 8,400mm <sup>2</sup> (110mm Ø)	●●●●●	RTV-KITI	RTV-UNI2	26
Universal Inline Slate		600 x 300mm slates 500 x 250mm slates	22.5°	9,450mm <sup>2</sup>	●	RTV-ADIS RTV-ADMULTI RTV-KITI	RTV-IS	27
Small Inline Slate		Small slates 300 x 200mm to 400 x 250mm	22.5°	9,450mm <sup>2</sup>	●	RTV-ADIS RTV-ADMULTI RTV-KITI	RTV-SIS	27
Hooded Slate		600 x 300mm slates 500 x 250mm slates	22.5°	22,000mm <sup>2</sup>	●	RTV-ADHS RTV-KITI	RTV-HS	27
Universal Hooded Slate		600 x 300mm slates 500 x 250mm slates	22.5°	10,000mm <sup>2</sup>	●	4101 Pipe Adapter Kit	4001	27

FULL RANGE OF COMPATIBLE ACCESSORIES AND ADAPTERS AVAILABLE [SEE PAGE 28](#) 19

Available Colours: ● Terracotta | TE ● Brown | BR ● Red | RD ● Grey | GR ● Black | BL  
 Add the required colour option code to the end of the product code when ordering e.g. RTV-CTE

## FP MCCANN

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Double Roman	RTV-DR	Double Roman	20°	●●●●●
Square Top	RTV-C	Castellated	20°	●●●●●
Thin Flat Tile	RTV-TE	Thin Leading Edge	20°	●●●●●●●
Duo Thin Flat Tile	RTV-TE	Thin Leading Edge	20°	●●●●●●●

## FORTICRETE

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Forticrete Gemini	RTV-IP	Interlocking Plain	22.5°	●●●●●
Forticrete V2	RTV-MC	Mini Castellated	17.5°	●●●●●

## LAGAN

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Lagan Double Roll	RTV-DR	Double Roman	20°	●●●●●
Lagan Elite	RTV-TE	Thin Leading Edge	20°	●●●●●●●
Lagan Flat	RTV-NP	Non-Profile	20°	●●●●●●●
Lagan Square Top	RTV-C	Castellated	20°	●●●●●

## MARLEY

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Marley Anglia	RTV-SP	Single Pantile	20°	●●●●●
Marley Ashmore	RTV-IP	Interlocking Plain	22.5°	●●●●●
Marley Double Roman	RTV-DR	Double Roman	20°	●●●●●
Marley Duo Modern	RTV-NP	Non-Profile	20°	●●●●●●●
Marley Edgemere	RTV-TE	Thin Leading Edge	20°	●●●●●●●
Marley Ludlow Major	RTV-C	Castellated	20°	●●●●●
Marley Ludlow Plus	RTV-MC	Mini Castellated	17.5°	●●●●●
Marley Mendip	RTV-DP	Double Pantile	20°	●●●●●
Marley Modern	RTV-NP	Non-Profile	20°	●●●●●●●
Marley Plain	RTV-P	Plain	35°	●●●●●
	RTV-LPP	Low Profile Plain		
	RTV-SLIP	Slip Plain		

## RUSSELL

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Russell Bute	RTV-TE	Thin Leading Edge	20°	●●●●●●●
Russell Cheviot	RTV-C	Castellated	20°	●●●●●
Russell Double Roman	RTV-DR	Double Roman	20°	●●●●●
Russell Galloway	RTV-TE	Thin Leading Edge	20°	●●●●●●●
Russell Grampian	RTV-NP	Non-Profile	20°	●●●●●●●
Russell Highland	RTV-NP	Non-Profile	20°	●●●●●●●
Russell Pennine	RTV-DP	Double Pantile	20°	●●●●●
Russell Traditional Plain	RTV-P	Plain	35°	●●●●●
	RTV-LPP	Low Profile Plain		
	RTV-SLIP	Slip Plain		

If the tile or slate you are using is not listed please get in touch to discuss compatible options to suit your project requirements.

## QUINN

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Quinn Locherne	RTV-DP	Double Pantile	20°	●●●●●

## REDLAND

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Redland 49	RTV-MC	Mini Castellated	17.5°	●●●●●
Redland 50 Double Roman	RTV-DR	Double Roman	20°	●●●●●
Redland Duoplain	RTV-IP	Interlocking Plain	22.5°	●●●●●
Redland Fenland Pantile	RTV-SP	Single Pantile	20°	●●●●●
Redland Grovebury	RTV-DP	Double Pantile	20°	●●●●●
Redland Landmark	RTV-DP	Double Pantile	20°	●●●●●
Redland Mini Stonewold	RTV-NP	Non-Profile	20°	●●●●●●
Redland Renown	RTV-C	Castellated	20°	●●●●●
Redland Richmond	RTV-TE	Thin Leading Edge	20°	●●●●●●
Redland Rosemary	RTV-P	Plain	35°	●●●●●
	RTV-LPP	Low Profile Plain		
	RTV-SLIP	Slip Plain		

## SANDTOFT

Tile Type	Vent Code	Vent Name	Min. Pitch	Colours
Sandtoft Calderdale Edge	RTV-FE	Flat Edge	20°	●●●●●●
Sandtoft Danum	RTV-FE	Flat Edge	20°	●●●●●●
Sandtoft Double Pantile	RTV-DP	Double Pantile	20°	●●●●●
Sandtoft Double Roman	RTV-DR	Double Roman	20°	●●●●●
Sandtoft Calderdale	RTV-NP	Non-Profile	20°	●●●●●●
Sandtoft Lindum	RTV-C	Castellated	20°	●●●●●
Sandtoft Shire	RTV-SP	Single Pantile	20°	●●●●●
Sandtoft Standard Pattern	RTV-MC	Mini Castellated	17.5°	●●●●●
Sandtoft TLE	RTV-TE	Thin Leading Edge	20°	●●●●●
Sandtoft Humber Plain	RTV-P	Plain	35°	●●●●●
	RTV-LPP	Low Profile Plain		
	RTV-SLIP	Slip Plain		

## SLATE

Slate Type	Vent Code	Vent Name	Min. Pitch	Colours
All major slates (600x300mm or 500x250mm)	RTV-IS	Inline Slate	22.5°	●
All major slates in smaller sizes (300x200mm to 400x250mm)	RTV-SIS	Small Inline Slate	22.5°	●
All major slates (600x300mm or 500x250mm)	RTV-HS	Hooded Slate	22.5°	●
All major slates (600x300mm or 500x250mm)	4001	Universal Slate	22.5°	●

## UNIVERSAL

Tile or Slate Type	Vent Code	Vent Name	Min. Pitch	Colours
All major plain or profiled tiles or slates	RTV-UNI	Universal	12.5°	●●●●●●
All major plain or profiled tiles or slates	RTV-UNI2	Universal 22,000mm <sup>2</sup>	12.5°	●●●●●●

# INVENTIVE


Roof ventilation solutions

## TILE VENTS

Available in single, multi and pallet quantities  
Multi = X vents in 1 box (order as each using multi code)



### CASTELLATED



### COMPATIBILITY

Castellated large format tiles from all major manufacturers including:

- Marley Ludlow Major
- Redland Renown
- Sandtoft Lindum
- Russell Cheviot
- Lagan Square Top
- FP McCann Square Top

### USE

- On roofs with Castellated tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



20° min. pitch



10,000mm<sup>2</sup> free ventilation area



Replaces 1 Castellated tile



UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Castellated	Terracotta	RTV-CTE	RTVMULTI-CTE	8	136	Next Working Day
Castellated	Brown	RTV-CBR	RTVMULTI-CBR	8	136	Next Working Day
Castellated	Grey	RTV-CGR	RTVMULTI-CGR	8	136	Next Working Day
Castellated	Red	RTV-CRD	RTVMULTI-CRD	8	136	Next Working Day

### DOUBLE PANTILE



### COMPATIBILITY

Double Pantile large format tiles from all major manufacturers including:

- Marley Mendip
- Redland Grovebury
- Redland Landmark
- Russell Pennine
- Quinn Locherne
- Sandtoft Double Pantile

### USE

- On roofs with Double Pantile tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



20° min. pitch



10,000mm<sup>2</sup> free ventilation area



Replaces 1 Double Pantile tile



UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Double Pantile	Terracotta	RTV-DPTE	RTVMULTI-DPTE	6	102	Next Working Day
Double Pantile	Brown	RTV-DPBR	RTVMULTI-DPBR	6	102	Next Working Day
Double Pantile	Grey	RTV-DPGR	RTVMULTI-DPGR	6	102	Next Working Day
Double Pantile	Red	RTV-DPRD	RTVMULTI-DPRD	6	102	Next Working Day

### DOUBLE ROMAN



### COMPATIBILITY

Double Roman large format tiles from all major manufacturers including:

- Marley Double Roman
- Redland 50 Double Roman
- Russell Double Roman
- Sandtoft Double Roman
- Lagan Double Roll
- FP McCann Double Roman

### USE

- On roofs with Double Roman tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



20° min. pitch



10,000mm<sup>2</sup> free ventilation area



Replaces 1 Double Roman tile




UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Double Roman	Terracotta	RTV-DRTE	RTVMULTI-DRTE	6	102	Next Working Day
Double Roman	Brown	RTV-DRBR	RTVMULTI-DRBR	6	102	Next Working Day
Double Roman	Grey	RTV-DRGR	RTVMULTI-DRGR	6	102	Next Working Day
Double Roman	Red	RTV-DRRD	RTVMULTI-DRRD	6	102	Next Working Day

## FLAT EDGE

bre



## COMPATIBILITY

Flat Edge large format tiles from all major manufacturers including:

- Sandtoft Calderdale Edge
- Sandtoft Danum

## USE

- On roofs with Flat Edge tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



20° min. pitch

10,000mm<sup>2</sup> free ventilation area


Replaces 1 Flat Edge tile

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Flat Edge	Terracotta	RTV-FETE	RTVMULTI-FETE	8	136	Next Working Day
Flat Edge	Brown	RTV-FEBR	RTVMULTI-FEBR	8	136	Next Working Day
Flat Edge	Grey	RTV-FEGR	RTVMULTI-FEGR	8	136	Next Working Day
Flat Edge	Red	RTV-FERD	RTVMULTI-FERD	8	136	Next Working Day
Flat Edge	Black	RTV-FEBL	RTVMULTI-FEBL	8	136	Next Working Day

## NON-PROFILE

bre



## COMPATIBILITY

Non-Profile large format tiles from all major manufacturers including:

- Marley Modern
- Marley Duo Modern
- Redland Mini Stonewold
- Sandtoft Calderdale
- Russell Grampian
- Russell Highland
- Lagan Flat

## USE

- On roofs with Non-Profile tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



20° min. pitch

10,000mm<sup>2</sup> free ventilation area


Replaces 1 Non-Profile tile

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Non-Profile	Terracotta	RTV-NPTE	RTVMULTI-NPTE	8	136	Next Working Day
Non-Profile	Brown	RTV-NPBR	RTVMULTI-NPBR	8	136	Next Working Day
Non-Profile	Grey	RTV-NPGR	RTVMULTI-NPGR	8	136	Next Working Day
Non-Profile	Red	RTV-NPRD	RTVMULTI-NPRD	8	136	Next Working Day
Non-Profile	Black	RTV-NPBL	RTVMULTI-NPBL	8	136	Next Working Day

## THIN LEADING EDGE

bre



## COMPATIBILITY

Thin Leading Edge large format tiles from all major manufacturers including:

- Marley Edgemere
- Redland Richmond
- Sandtoft TLE
- Russell Bute
- Russell Galloway
- Lagan Elite
- FP McCann Thin Flat Tile
- FP McCann Duo Thin Flat Tile

## USE

- On roofs with Thin Leading Edge tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



20° min. pitch

10,000mm<sup>2</sup> free ventilation area

Replaces 1 TLE tile

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Thin Leading Edge	Terracotta	RTV-TETE	RTVMULTI-TETE	8	136	Next Working Day
Thin Leading Edge	Brown	RTV-TEBR	RTVMULTI-TEBR	8	136	Next Working Day
Thin Leading Edge	Grey	RTV-TEGR	RTVMULTI-TEGR	8	136	Next Working Day
Thin Leading Edge	Red	RTV-TERD	RTVMULTI-TERD	8	136	Next Working Day
Thin Leading Edge	Black	RTV-TEBL	RTVMULTI-TEBL	8	136	Next Working Day

# INVENTIVE

Roof ventilation solutions

## TILE VENTS

Available in single, multi and pallet quantities  
Multi = X vents in 1 box (order as each using multi code)



### MINI CASTELLATED

bre



### COMPATIBILITY

Mini Castellated small format tiles from all major manufacturers including:

- Marley Ludlow Plus
- Redland 49
- Sandtoft Standard Pattern
- Forticrete V2

### USE

- On roofs with Mini Castellated tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



17.5° min. pitch



5,000mm<sup>2</sup> free ventilation area



Replaces 1 Mini Castellated tile



UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Mini Castellated	Terracotta	RTV-MCTE	RTVMULTI-MCTE	14	238	Next Working Day
Mini Castellated	Brown	RTV-MCBB	RTVMULTI-MCBB	14	238	Next Working Day
Mini Castellated	Grey	RTV-MCGR	RTVMULTI-MCGR	14	238	Next Working Day
Mini Castellated	Red	RTV-MCRD	RTVMULTI-MCRD	14	238	Next Working Day

### SINGLE PANTILE

bre



### COMPATIBILITY

Single Pantile small format tiles from all major manufacturers including:

- Marley Anglia
- Redland Fenland Pantile
- Sandtoft Shire

### USE

- On roofs with Single Pantile tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



20° min. pitch



5,000mm<sup>2</sup> free ventilation area



Replaces 1 Single Pantile tile




UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Single Pantile	Terracotta	RTV-SPTE	RTVMULTI-SPTE	11	187	Next Working Day
Single Pantile	Brown	RTV-SPBR	RTVMULTI-SPBR	11	187	Next Working Day
Single Pantile	Grey	RTV-SPGR	RTVMULTI-SPGR	11	187	Next Working Day
Single Pantile	Red	RTV-SPRD	RTVMULTI-SPRD	11	187	Next Working Day

### INTERLOCKING PLAIN

bre



### COMPATIBILITY

Interlocking Plain tiles from all major manufacturers including:

- Marley Ashmore
- Redland Duoplain
- Forticrete Gemini

### USE

- On roofs with Interlocking Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



22.5° min. pitch



6,000mm<sup>2</sup> free ventilation area



Replaces 1 Interlock Plain tile



UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Interlocking Plain	Terracotta	RTV-IPTE	RTVMULTI-IPTE	12	204	Next Working Day
Interlocking Plain	Brown	RTV-IPBR	RTVMULTI-IPBR	12	204	Next Working Day
Interlocking Plain	Grey	RTV-IPGR	RTVMULTI-IPGR	12	204	Next Working Day
Interlocking Plain	Red	RTV-IPRD	RTVMULTI-IPRD	12	204	Next Working Day

## PLAIN

bre



## COMPATIBILITY

Plain tiles from all major manufacturers including:

- Redland Rosemary
- Marley Plain
- Russell Traditional Plain
- Sandtoft Humber Plain

## USE

- On roofs with Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



35° min. pitch

7,000mm<sup>2</sup> free ventilation area


Replaces 3 Plain tiles

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Plain	Terracotta	RTV-PTE	RTVMULTI-PTE	14	238	Next Working Day
Plain	Brown	RTV-PBR	RTVMULTI-PBR	14	238	Next Working Day
Plain	Grey	RTV-PGR	RTVMULTI-PGR	14	238	Next Working Day
Plain	Red	RTV-PRD	RTVMULTI-PRD	14	238	Next Working Day

## LOW PROFILE PLAIN

bre



## COMPATIBILITY

Plain tiles from all major manufacturers including:

- Redland Rosemary
- Marley Plain
- Russell Traditional Plain
- Sandtoft Humber Plain

## USE

- On roofs with Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



35° min. pitch

6,100mm<sup>2</sup> free ventilation area


Replaces 2 Plain tiles

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Low Profile Plain	Terracotta	RTV-LPTE	RTVMULTI-LPTE	14	238	Next Working Day
Low Profile Plain	Brown	RTV-LPBR	RTVMULTI-LPBR	14	238	Next Working Day
Low Profile Plain	Grey	RTV-LPGR	RTVMULTI-LPGR	14	238	Next Working Day
Low Profile Plain	Red	RTV-LPRD	RTVMULTI-LPRD	14	238	Next Working Day

## SLIP PLAIN

bre



## COMPATIBILITY

Plain tiles from all major manufacturers including:

- Redland Rosemary
- Marley Plain
- Russell Traditional Plain
- Sandtoft Humber Plain

## USE

- On roofs with Plain tiles
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



35° min. pitch

6,100mm<sup>2</sup> free ventilation area

Replaces 2 Plain tiles

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Slip Plain	Terracotta	RTV-SLIPT	RTVMULTI-SLIPT	14	238	Next Working Day
Slip Plain	Brown	RTV-SLIPBR	RTVMULTI-SLIPBR	14	238	Next Working Day
Slip Plain	Grey	RTV-SLIPGR	RTVMULTI-SLIPGR	14	238	Next Working Day
Slip Plain	Red	RTV-SLIPRD	RTVMULTI-SLIPRD	14	238	Next Working Day

# INVENTIVE

Roof ventilation solutions

## TILE VENTS

Available in single, multi and pallet quantities  
Multi = X vents in 1 box (order as each using multi code)



### UNIVERSAL



### COMPATIBILITY

All types of tile or slate roof covering - Alternative lead flashing.

- 170mm Ø = 20,000mm<sup>2</sup>
- 150mm Ø = 16,000mm<sup>2</sup>
- 125mm Ø = 11,000mm<sup>2</sup>
- 110mm Ø = 8,400mm<sup>2</sup>

### USE

- On roofs with any tile or slate
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



12.5° min. pitch

20,000mm<sup>2</sup> free ventilation area

Replaces 1 tile or slate

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Universal	Terracotta	RTV-UNITE	RTVMULTI-UNITE	4	60	Next Working Day
Universal	Brown	RTV-UNIBR	RTVMULTI-UNIBR	4	60	Next Working Day
Universal	Grey	RTV-UNIGR	RTVMULTI-UNIGR	4	60	Next Working Day
Universal	Red	RTV-UNIRD	RTVMULTI-UNIRD	4	60	Next Working Day
Universal	Black	RTV-UNIBL	RTVMULTI-UNIBL	4	60	Next Working Day

### UNIVERSAL 22,000



### COMPATIBILITY

All types of tile or slate roof covering - Alternative lead flashing.

- 170mm Ø = 22,000mm<sup>2</sup>
- 150mm Ø = 16,000mm<sup>2</sup>
- 125mm Ø = 11,000mm<sup>2</sup>
- 110mm Ø = 8,400mm<sup>2</sup>

### USE

- On roofs with any tile or slate
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



12.5° min. pitch

22,000mm<sup>2</sup> free ventilation area

Replaces 1 tile or slate

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Universal 22,000	Terracotta	RTV-UNI2TE	RTVMULTI-UNI2TE	4	60	Next Working Day
Universal 22,000	Brown	RTV-UNI2BR	RTVMULTI-UNI2BR	4	60	Next Working Day
Universal 22,000	Grey	RTV-UNI2GR	RTVMULTI-UNI2GR	4	60	Next Working Day
Universal 22,000	Red	RTV-UNI2RD	RTVMULTI-UNI2RD	4	60	Next Working Day
Universal 22,000	Black	RTV-UNI2BL	RTVMULTI-UNI2BL	4	60	Next Working Day



## TRIED. TESTED. TRUSTED.

Timloc Building Products' InVentive range of roof tile and slate vents has successfully undergone BRE testing to PD CEN/TR 15601 for resistance to wind-driven rain, giving further assurance of quality and reliability.

Each test is a thorough evaluation of the vents' impact on roof weather tightness. The results speak for themselves – every vent tested successfully maintained the roof's weatherproof performance, providing proven protection and long-term reliability.

# INVENTIVE

Roof ventilation solutions

## SLATE VENTS

Available in single, multi and pallet quantities\*  
Multi = X vents in 1 box (order as each using multi code)

\*Excludes 4001. Available in pack quantities only.



### UNIVERSAL INLINE SLATE

bre



### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 300 x 600mm (WxH)
- 250 x 500mm (WxH)

### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



22.5° min. pitch


9,450mm<sup>2</sup> free ventilation area

Replaces 1 slate

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Inline Slate	Black	RTV-ISBL	RTVMULTI-ISBL	5	120	Next Working Day

### SMALL INLINE SLATE

bre



### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 400 x 250mm (WxH)
- 400 x 225mm (WxH)
- 400 x 200mm (WxH)
- 350 x 250mm (WxH)
- 350 x 200mm (WxH)
- 300 x 200mm (WxH)

### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



22.5° min. pitch

9,450mm<sup>2</sup> free ventilation area

Replaces 1 slate

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Small Inline	Black	RTV-SISBL	RTVMULTI-SISBL	5	120	Next Working Day

### HOODED SLATE

bre



### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 300 x 600mm (WxH)
- 250 x 500mm (WxH)

### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



22.5° min. pitch

22,000mm<sup>2</sup> free ventilation area

Replaces 1 slate

UV stabilised PP top

DESCRIPTION	COLOUR	SINGLE CODE	MULTI CODE	MULTI QUANTITY	PALLET QUANTITY	LEAD TIME
Hooded Slate	Black	RTV-HSBL	RTVMULTI-HSBL	4	68	Next Working Day

### UNIVERSAL HOODED SLATE

bre



### COMPATIBILITY

Natural or Synthetic slates from all major manufacturers in sizes:

- 300 x 600mm (WxH)
- 250 x 500mm (WxH)

### USE

- On Natural or Synthetic Slate roofs
- For direct roof space ventilation
- Connected to a ducted ventilation system inside the building



22.5° min. pitch

10,000mm<sup>2</sup> free ventilation area

Replaces 1 slate

DESCRIPTION	COLOUR	SINGLE CODE	PACK QUANTITY	PALLET QUANTITY	LEAD TIME
Universal Hooded	Black	4001	5	120	Next Working Day

### ADAPTERS & ACCESSORIES

Compatible accessories for connection to ventilation ducts or soil vent pipes.

10 YEAR  
GUARANTEE

timac

EPD  
AVAILABLE

#### STANDARD ADAPTER RTV-ADS

110mm connection for ventilation ducts or soil vent pipes



#### COMPATIBILITY

- CASTELLATED
- DOUBLE PANTILE
- DOUBLE ROMAN
- FLAT EDGE
- NON-PROFILE
- THIN LEADING EDGE

#### PLAIN ADAPTER RTV-ADP

110mm connection for ventilation ducts or soil vent pipes




#### COMPATIBILITY

- INTERLOCKING PLAIN
- PLAIN
- LOW PROFILE PLAIN
- SLIP PLAIN

#### INLINE SLATE ADAPTER RTV-ADIS

110mm connection for ventilation ducts or soil vent pipes



#### COMPATIBILITY

- INLINE SLATE
- SMALL INLINE SLATE

#### HOODED SLATE ADAPTER RTV-ADHS

110mm connection for ventilation ducts or soil vent pipes



#### COMPATIBILITY

- HOODED SLATE

#### MULTI STEPPED DUCT ADAPTER RTV-ADMULTI

Connection for various sizes of ventilation duct



#### COMPATIBILITY

- STANDARD ADAPTER
- PLAIN ADAPTER
- INLINE SLATE ADAPTER
- 110MM FLEXI-PIPE

DESCRIPTION	PRODUCT CODE	BOX QUANTITY	LEAD TIME
Standard Tile Vent Adapter	RTV-ADS	12	Next Working Day
Plain Tile Vent Adapter	RTV-ADP	12	Next Working Day
Hooded Slate Vent Adapter	RTV-ADHS	10	Next Working Day
Inline Slate Vent Adapter	RTV-ADIS	10	Next Working Day
Multi Stepped Duct Adapter	RTV-ADMULTI	10	Next Working Day

Compatibility chart for the full range of accessories available in the InVentive tile and slate vent range.

Tile / Slate Vent Type		Compatible Accessory Options		
TILE / SLATE VENT	PRODUCT CODE	COMPATIBLE ACCESSORIES	PRODUCT CODE	PACK QUANTITY
Castellated	RTV-C	Standard Adapter	RTV-ADS	12
Double Pantile	RTV-DP	Multi Adapter	RTV-ADMULTI	10
Double Roman	RTV-DR			
Flat Edge	RTV-FE	Flexi-Pipe + Clamp	RTV-KIT1	1
Non-Profile	RTV-NP	Flexi-Pipe + Clamp + Standard Adapter	RTV-KIT2	1
Thin Leading Edge	RTV-TE			
Mini Castellated	RTV-MC	Multi Adapter	RTV-ADMULTI	10
Single Pantile	RTV-SP	Flexi-Pipe + Clamp	RTV-KIT1	1
Plain	RTV-P	Plain Adapter	RTV-ADP	12
Interlocking Plain	RTV-IP	Multi Adapter	RTV-ADMULTI	10
Low Profile Plain	RTV-LPP	Flexi-Pipe + Clamp	RTV-KIT1	1
Slip Plain	RTV-SLIP	Flexi-Pipe + Clamp + Plain Adapter	RTV-KIT3	1
Universal	RTV-UNI	Flexi-Pipe + Clamp	RTV-KIT1	1
Universal 22,000mm <sup>2</sup>	RTV-UNI2			
Universal Inline Slate	RTV-IS	Inline Slate Adapter	RTV-ADIS	10
		Multi Adapter	RTV-ADMULTI	10
Small Inline Slate	RTV-SIS	Flexi-Pipe + Clamp	RTV-KIT1	1
		Flexi-Pipe + Clamp + Inline Slate Adapter	RTV-KIT4	1
Hooded Slate	RTV-HS	Hooded Slate Adapter	RTV-ADHS	10
		Flexi-Pipe + Clamp	RTV-KIT1	1
Universal Hooded Slate	4001	Pipe Adapter + Flexible PVC Pipe	4101	1
		Pipe Adapter only	4102	1
		Flexible PVC Pipe only	4103	1



## FLEXI-PIPE KITS

To connect vents to 110mm ventilation duct or soil vent pipe

The 110mm Flexi-Pipe Kits are also compatible with the Multi Stepped Duct Adapter (RTV-ADMULTI)

<p><b>RTV-KIT1</b> <b>FLEXI-PIPE ONLY</b></p>	<p><b>RTV-KIT2</b> with <b>STANDARD ADAPTER</b></p>	<p><b>RTV-KIT3</b> with <b>PLAIN ADAPTER</b></p>	<p><b>RTV-KIT4</b> with <b>INLINE SLATE ADAPTER</b></p>
<p><b>KIT CONTAINS:</b></p> <ul style="list-style-type: none"> <li>• 1 x Flexi-Pipe</li> <li>• 1 x Screw Clamp</li> </ul>	<p><b>KIT CONTAINS:</b></p> <ul style="list-style-type: none"> <li>• 1 x Flexi-Pipe</li> <li>• 1 x Screw Clamp</li> <li>• 1 x Standard Adapter</li> </ul>	<p><b>KIT CONTAINS:</b></p> <ul style="list-style-type: none"> <li>• 1 x Flexi-Pipe</li> <li>• 1 x Screw Clamp</li> <li>• 1 x Plain Adapter</li> </ul>	<p><b>KIT CONTAINS:</b></p> <ul style="list-style-type: none"> <li>• 1 x Flexi-Pipe</li> <li>• 1 x Screw Clamp</li> <li>• 1 x Inline Slate Adapter</li> </ul>
<p><b>COMPATIBLE WITH:</b></p> <ul style="list-style-type: none"> <li>• RTV-MC</li> <li>• RTV-SP</li> </ul>	<p><b>COMPATIBLE WITH:</b></p> <ul style="list-style-type: none"> <li>• RTV-C</li> <li>• RTV-FE</li> <li>• RTV-DP</li> <li>• RTV-TE</li> <li>• RTV-NP</li> </ul>	<p><b>COMPATIBLE WITH:</b></p> <ul style="list-style-type: none"> <li>• RTV-P</li> <li>• RTV-IP</li> <li>• RTV-LPP</li> <li>• RTV-SLIP</li> </ul>	<p><b>COMPATIBLE WITH:</b></p> <ul style="list-style-type: none"> <li>• RTV-IS</li> <li>• RTV-SIS</li> </ul>

DESCRIPTION	PRODUCT CODE	BOX QUANTITY	LEAD TIME
Flexi-Pipe + Clamp	RTV-KIT1	1	Next Working Day
Flexi-Pipe + RTV-ADS + Clamp	RTV-KIT2	1	Next Working Day
Flexi-Pipe + RTV-ADP + Clamp	RTV-KIT3	1	Next Working Day
Flexi-Pipe + RTV-ADIS + Clamp	RTV-KIT4	1	Next Working Day

## VENTILATION

Product Code	Description	Colour	Qty	Lead Time	Page
1139	Push-In Soffit Vent	Grey	10	Next Working Day	4
1140	Push-In Soffit Vent	White	10	Next Working Day	4
1141	Push-In Soffit Vent	Black	10	Next Working Day	4
1142	Push-In Soffit Vent	Brown	10	Next Working Day	4
1137BL	Soffit Vent Strip 10mm Airflow 2.4m	Black	10	Next Working Day	4
1137BR	Soffit Vent Strip 10mm Airflow 2.4m	Brown	10	Next Working Day	4
1137WH	Soffit Vent Strip 10mm Airflow 2.4m	White	10	Next Working Day	4
1138BR	Soffit Vent Strip 25mm Airflow 2.4m	Brown	10	Next Working Day	4
1138WH	Soffit Vent Strip 25mm Airflow 2.4m	White	10	Next Working Day	4
3014	2-in-1 Eaves Vent	Black	20	Next Working Day	5
3014C	3-in-1 Eaves Vent	Black	10	Next Working Day	5
3017	Felt Support Tray 1500mm	Black	10	Next Working Day	5
4017	Felt Support Tray 1500mm Unbagged	Black	1000	Next Working Day	5
1128	Felt Support Tray 600mm	Black	20	Next Working Day	5
1136	Eaves Bird Comb Filler	Black	50	Next Working Day	5
3011BL	Over Fascia Vent 300mm 10mm Airflow	Black	10	Next Working Day	6
3011WH	Over Fascia Vent 300mm 10mm Airflow	White	10	Next Working Day	6
3011/25BL	Over Fascia Vent 300mm 25mm Airflow	Black	10	Next Working Day	6
3011/25WH	Over Fascia Vent 300mm 25mm Airflow	White	10	Next Working Day	6
OF1BL	Over Fascia Vent 1m 10mm Airflow	Black	25	Next Working Day	6
OF2BL	Over Fascia Vent 1m 25mm Airflow	Black	20	Next Working Day	6
3012	Corbel Roof Eaves Vent 10mm Airflow 2.4m	Black	10	Next Working Day	6
1121	Rafter Roll 300mm x 6m	Black	10	Next Working Day	7
1171	Rafter Roll 400mm x 6m	Black	12	Next Working Day	7
1131	Rafter Roll 600mm x 6m	Black	5	Next Working Day	7
1151	Rafter Roll 800mm x 6m	Black	6	Next Working Day	7
1181	Rafter Roll 1200mm x 6m	Black	5	Next Working Day	7
EVP6	3 in 1 Eaves Vent Pack 10mm Airflow 6m (300mm Roll)	Black	1	Next Working Day	7
EVP6/25	3 in 1 Eaves Vent Pack 25mm airflow 6m (300mm Roll)	Black	1	Next Working Day	7
EVP6/25600	3 in 1 Eaves Vent Pack 25mm airflow 6m (600mm Roll)	Black	1	Next Working Day	7
EVP6/600	3 in 1 Eaves Vent Pack 10mm airflow 6m (600mm Roll)	Black	1	Next Working Day	7
5560	Lap Vent	White	10	Next Working Day	8

## FLASHING

Product Code	Description	Colour	Qty	Lead Time	Page
LF150	PbFree Lead-Free Flashing 150mm	Grey	1	Next Working Day	9
LF300	PbFree Lead-Free Flashing 300mm	Grey	1	Next Working Day	9
LF450	PbFree Lead-Free Flashing 450mm	Grey	1	Next Working Day	9
SLF150	Smooth PbFree Lead-Free Flashing 150mm	Grey	1	Next Working Day	9
SLF300	Smooth PbFree Lead-Free Flashing 300mm	Grey	1	Next Working Day	9
SLF450	Smooth PbFree Lead-Free Flashing 450mm	Grey	1	Next Working Day	9

# DRY RIDGE & HIP KITS

Product Code	Description	Colour	Qty	Lead Time	Page
54700	6m Dry Fix Ridge Kit	Black	1	Next Working Day	10
51700	10m Dry Fix Ridge Kit	Black	1	Next Working Day	10
53700	3m Integrated Dry Fix Ridge Kit	Black	1	Next Working Day	11
54703	6m Integrated Dry Fix Ridge Kit	Black	1	Next Working Day	11
54713	6m Clay Ridge Kit	Black	1	Next Working Day	11
54715	20x Ridge Unions & 40x Ridge Clips	Black	20+40	Next Working Day	11
54716	20x Fixing Screws & Clamping Plates	Silver	20	Next Working Day	11
54618	13x Ridge Unions & 26x Ridge Clips	Black	13+26	Next Working Day	11
54626	13x Fixing Screws & Clamping Plates	Silver	13	Next Working Day	11
54710	6m Dry Fix Hip Kit	Black	1	Next Working Day	12
44623	6x 1.2m Hip Tray Only Pack	Black	6	Next Working Day	12
44625	6x Hip Tray Only Pack Unbagged	Black	1000	Next Working Day	12
54618	13 x Ridge Unions & 26 x Ridge Clips	Black	13+26	Next Working Day	12
54626	13 x Fixing Screws & Clamping Plates	Silver	13	Next Working Day	12
44630	Top & Tail clips (20 x large & 20 x small) Kit	Silver	1	Next Working Day	12

# DRY FIX VERGE

Product Code	Description	Colour	Qty	Lead Time	Page
99109	Universal Dry Fix Ridge Cap - Angled	Grey	10	Next Working Day	13
99108	Universal Dry Fix Ridge Cap - Angled	Brown	10	Next Working Day	13
99107	Universal Dry Fix Ridge Cap - Angled	Black	10	Next Working Day	13
99110	Universal Dry Fix Ridge Cap - Angled	Terracotta	10	Next Working Day	13
99183	Universal Dry Fix Ridge Cap - Angled	Red	10	Next Working Day	13
99113	Universal Dry Fix Ridge Cap - Round	Grey	10	Next Working Day	13
99112	Universal Dry Fix Ridge Cap - Round	Brown	10	Next Working Day	13
99136	Universal Dry Fix Ridge Cap - Round	Black	10	Next Working Day	13
99114	Universal Dry Fix Ridge Cap - Round	Terracotta	10	Next Working Day	13
99184	Universal Dry Fix Ridge Cap - Round	Red	10	Next Working Day	13
99124	Universal End Grain Batten Bracket	Silver	20	Next Working Day	13
99141	Ambi-Verge Universal Dry Fix Verge Piece	Grey	20	Next Working Day	13
99142	Ambi-Verge Universal Dry Fix Verge Piece	Brown	20	Next Working Day	13
99143	Ambi-Verge Universal Dry Fix Verge Piece	Black	20	Next Working Day	13
99144	Ambi-Verge Universal Dry Fix Verge Piece	Terracotta	20	Next Working Day	13
99153	Ambi-Verge Eaves Starter	Grey	8	Next Working Day	13
99155	Ambi-Verge Eaves Starter	Brown	8	Next Working Day	13
99154	Ambi-Verge Eaves Starter	Black	8	Next Working Day	13
99156	Ambi-Verge Eaves Starter	Terracotta	8	Next Working Day	13
99121	Handed Dry Fix Verge - Left Hand Piece	Grey	20	Next Working Day	14
99120	Handed Dry Fix Verge - Left Hand Piece	Brown	20	Next Working Day	14
99138	Handed Dry Fix Verge - Left Hand Piece	Black	20	Next Working Day	14
99122	Handed Dry Fix Verge - Left Hand Piece	Terracotta	20	Next Working Day	14
99117	Handed Dry Fix Verge - Right Hand Piece	Grey	20	Next Working Day	14
99116	Handed Dry Fix Verge - Right Hand Piece	Brown	20	Next Working Day	14
99137	Handed Dry Fix Verge - Right Hand Piece	Black	20	Next Working Day	14
99118	Handed Dry Fix Verge - Right Hand Piece	Terracotta	20	Next Working Day	14

Product Code	Description	Colour	Qty	Lead Time	Page
99126	Handed Dry Fix Verge Eaves Starter L&R Pair	Grey	1+1	Next Working Day	14
99125	Handed Dry Fix Verge Eaves Starter L&R Pair	Brown	1+1	Next Working Day	14
99130	Handed Dry Fix Verge Eaves Starter L&R Pair	Black	1+1	Next Working Day	14
99127	Handed Dry Fix Verge Eaves Starter L&R Pair	Terracotta	1+1	Next Working Day	14
99174	Interlocking Plain Universal Dry Fix Verge Piece	Grey	40	Next Working Day	14
99176	Interlocking Plain Universal Dry Fix Verge Piece	Brown	40	Next Working Day	14
99173	Interlocking Plain Universal Dry Fix Verge Piece	Black	40	Next Working Day	14
99175	Interlocking Plain Universal Dry Fix Verge Piece	Terracotta	40	Next Working Day	14
99182	Interlocking Plain Universal Dry Fix Verge Piece	Red	40	Next Working Day	14
99178	Interlocking Plain Eaves Starter	Grey	10	Next Working Day	14
99180	Interlocking Plain Eaves Starter	Brown	10	Next Working Day	14
99177	Interlocking Plain Eaves Starter	Black	10	Next Working Day	14
99179	Interlocking Plain Eaves Starter	Terracotta	10	Next Working Day	14
99181	Interlocking Plain Eaves Starter	Red	10	Next Working Day	14
99158	Thin Leading Edge Verge - Left Hand Piece	Grey	20	Next Working Day	15
99160	Thin Leading Edge Verge - Left Hand Piece	Brown	20	Next Working Day	15
99157	Thin Leading Edge Verge - Left Hand Piece	Black	20	Next Working Day	15
99159	Thin Leading Edge Verge - Left Hand Piece	Terracotta	20	Next Working Day	15
99162	Thin Leading Edge Verge - Right Hand Piece	Grey	20	Next Working Day	15
99164	Thin Leading Edge Verge - Right Hand Piece	Brown	20	Next Working Day	15
99161	Thin Leading Edge Verge - Right Hand Piece	Black	20	Next Working Day	15
99163	Thin Leading Edge Verge - Right Hand Piece	Terracotta	20	Next Working Day	15
99166	Thin Leading Edge Verge - Eaves Starter (LH)	Grey	10	Next Working Day	15
99168	Thin Leading Edge Verge - Eaves Starter (LH)	Brown	10	Next Working Day	15
99165	Thin Leading Edge Verge - Eaves Starter (LH)	Black	10	Next Working Day	15
99167	Thin Leading Edge Verge - Eaves Starter (LH)	Terracotta	10	Next Working Day	15
99170	Thin Leading Edge Verge - Eaves Starter (RH)	Grey	10	Next Working Day	15
99172	Thin Leading Edge Verge - Eaves Starter (RH)	Brown	10	Next Working Day	15
99169	Thin Leading Edge Verge - Eaves Starter (RH)	Black	10	Next Working Day	15
99171	Thin Leading Edge Verge - Eaves Starter (RH)	Terracotta	10	Next Working Day	15
66101	Continuous Dry Fix Verge Piece - New Build	Grey	4	Next Working Day	15
66105	Continuous Dry Fix Verge Piece - Refurbishment	Grey	4	Next Working Day	15
66117	Continuous Dry Fix Verge Eaves Starter L&R Pair	Grey	1+1	Next Working Day	15
66120	Continuous Dry Fix Verge Angled Ridge Cap	Grey	1	Next Working Day	15
66124	Continuous Dry Fix Verge Joint Union	Grey	1	Next Working Day	15

## LEAD REPLACEMENT SOAKERS

Product Code	Description	Colour	Qty	Lead Time	Page
AS-PLAIN	Ambi-Soaker Plain Soaker	Black	50	Next Working Day	17
AS-INTPLAIN	Ambi-Soaker Interlocking Plain Soaker	Black	40	Next Working Day	17
AS-SLATE	Ambi-Soaker Slate Soaker	Black	50	Next Working Day	17
AS-TLE	Ambi-Soaker Thin Leading Edge Soaker	Grey	50	Next Working Day	17
AS-FLAT	Ambi-Soaker Flat Soaker	Grey	30	Next Working Day	17

Description	Colour	Single Code	Multi Code	Multi Qty.	Lead Time	Page
Castellated Roof Tile Vent	Terracotta	RTV-CTE	RTVMULTI-CTE	8	Next Working Day	22
Castellated Roof Tile Vent	Brown	RTV-CBR	RTVMULTI-CBR	8	Next Working Day	22
Castellated Roof Tile Vent	Grey	RTV-CGR	RTVMULTI-CGR	8	Next Working Day	22
Castellated Roof Tile Vent	Red	RTV-CRD	RTVMULTI-CRD	8	Next Working Day	22
Double Pantile Roof Tile Vent	Terracotta	RTV-DPTE	RTVMULTI-DPTE	6	Next Working Day	22
Double Pantile Roof Tile Vent	Brown	RTV-DPBR	RTVMULTI-DPBR	6	Next Working Day	22
Double Pantile Roof Tile Vent	Grey	RTV-DPGR	RTVMULTI-DPGR	6	Next Working Day	22
Double Pantile Roof Tile Vent	Red	RTV-DPRD	RTVMULTI-DPRD	6	Next Working Day	22
Double Roman Roof Tile Vent	Terracotta	RTV-DRTE	RTVMULTI-DRTE	6	Next Working Day	22
Double Roman Roof Tile Vent	Brown	RTV-DRBR	RTVMULTI-DRBR	6	Next Working Day	22
Double Roman Roof Tile Vent	Grey	RTV-DRGR	RTVMULTI-DRGR	6	Next Working Day	22
Double Roman Roof Tile Vent	Red	RTV-DRRD	RTVMULTI-DRRD	6	Next Working Day	22
Flat Edge Roof Tile Vent	Terracotta	RTV-FETE	RTVMULTI-FETE	8	Next Working Day	23
Flat Edge Roof Tile Vent	Brown	RTV-FEBR	RTVMULTI-FEBR	8	Next Working Day	23
Flat Edge Roof Tile Vent	Grey	RTV-FEGR	RTVMULTI-FEGR	8	Next Working Day	23
Flat Edge Roof Tile Vent	Red	RTV-FERD	RTVMULTI-FERD	8	Next Working Day	23
Flat Edge Roof Tile Vent	Black	RTV-FEBL	RTVMULTI-FEBL	8	Next Working Day	23
Non-Profile Roof Tile Vent	Terracotta	RTV-NPTE	RTVMULTI-NPTE	8	Next Working Day	23
Non-Profile Roof Tile Vent	Brown	RTV-NPBR	RTVMULTI-NPBR	8	Next Working Day	23
Non-Profile Roof Tile Vent	Grey	RTV-NPGR	RTVMULTI-NPGR	8	Next Working Day	23
Non-Profile Roof Tile Vent	Red	RTV-NPRD	RTVMULTI-NPRD	8	Next Working Day	23
Non-Profile Roof Tile Vent	Black	RTV-NPBL	RTVMULTI-NPBL	8	Next Working Day	23
Thin Leading Edge Roof Tile Vent	Terracotta	RTV-TETE	RTVMULTI-TETE	8	Next Working Day	23
Thin Leading Edge Roof Tile Vent	Brown	RTV-TEBR	RTVMULTI-TEBR	8	Next Working Day	23
Thin Leading Edge Roof Tile Vent	Grey	RTV-TEGR	RTVMULTI-TEGR	8	Next Working Day	23
Thin Leading Edge Roof Tile Vent	Red	RTV-TERD	RTVMULTI-TERD	8	Next Working Day	23
Thin Leading Edge Roof Tile Vent	Black	RTV-TEBL	RTVMULTI-TEBL	8	Next Working Day	23
Mini Castellated Roof Tile Vent	Terracotta	RTV-MCTE	RTVMULTI-MCTE	14	Next Working Day	24
Mini Castellated Roof Tile Vent	Brown	RTV-MCBR	RTVMULTI-MCBR	14	Next Working Day	24
Mini Castellated Roof Tile Vent	Grey	RTV-MCGR	RTVMULTI-MCGR	14	Next Working Day	24
Mini Castellated Roof Tile Vent	Red	RTV-MCRD	RTVMULTI-MCRD	14	Next Working Day	24
Single Pantile Roof Tile Vent	Terracotta	RTV-SPTE	RTVMULTI-SPTE	11	Next Working Day	24
Single Pantile Roof Tile Vent	Brown	RTV-SPBR	RTVMULTI-SPBR	11	Next Working Day	24
Single Pantile Roof Tile Vent	Grey	RTV-SPGR	RTVMULTI-SPGR	11	Next Working Day	24
Single Pantile Roof Tile Vent	Red	RTV-SPRD	RTVMULTI-SPRD	11	Next Working Day	24
Interlocking Plain Roof Tile Vent	Terracotta	RTV-IPTE	RTVMULTI-IPTE	12	Next Working Day	24
Interlocking Plain Roof Tile Vent	Brown	RTV-IPBR	RTVMULTI-IPBR	12	Next Working Day	24
Interlocking Plain Roof Tile Vent	Grey	RTV-IPGR	RTVMULTI-IPGR	12	Next Working Day	24
Interlocking Plain Roof Tile Vent	Red	RTV-IPRD	RTVMULTI-IPRD	12	Next Working Day	24
Plain Roof Tile Vent	Terracotta	RTV-PTE	RTVMULTI-PTE	14	Next Working Day	25
Plain Roof Tile Vent	Brown	RTV-PBR	RTVMULTI-PBR	14	Next Working Day	25
Plain Roof Tile Vent	Grey	RTV-PGR	RTVMULTI-PGR	14	Next Working Day	25
Plain Roof Tile Vent	Red	RTV-PRD	RTVMULTI-PRD	14	Next Working Day	25

Description	Colour	Single Code	Multi Code	Multi Qty.	Lead Time	Page
Low Profile Plain Roof Tile Vent	Terracotta	RTV-LPPTTE	RTVMULTI-LLPTE	14	Next Working Day	25
Low Profile Plain Roof Tile Vent	Brown	RTV-LPPBR	RTVMULTI-LLPBR	14	Next Working Day	25
Low Profile Plain Roof Tile Vent	Grey	RTV-LPPGR	RTVMULTI-LLPGR	14	Next Working Day	25
Low Profile Plain Roof Tile Vent	Red	RTV-LPPRD	RTVMULTI-LLPRD	14	Next Working Day	25
Slip Plain Roof Tile Vent	Terracotta	RTV-SLIPTTE	RTVMULTI-SLIPTTE	14	Next Working Day	25
Slip Plain Roof Tile Vent	Brown	RTV-SLIPBR	RTVMULTI-SLIPBR	14	Next Working Day	25
Slip Plain Roof Tile Vent	Grey	RTV-SLIPGR	RTVMULTI-SLIPGR	14	Next Working Day	25
Slip Plain Roof Tile Vent	Red	RTV-SLIPRD	RTVMULTI-SLIPRD	14	Next Working Day	25
Universal Roof Tile Vent	Terracotta	RTV-UNITE	RTVMULTI-UNITE	4	Next Working Day	26
Universal Roof Tile Vent	Brown	RTV-UNIBR	RTVMULTI-UNIBR	4	Next Working Day	26
Universal Roof Tile Vent	Grey	RTV-UNIGR	RTVMULTI-UNIGR	4	Next Working Day	26
Universal Roof Tile Vent	Red	RTV-UNIRD	RTVMULTI-UNIRD	4	Next Working Day	26
Universal Roof Tile Vent	Black	RTV-UNIBL	RTVMULTI-UNIBL	4	Next Working Day	26
Universal 22,000 Roof Tile Vent	Terracotta	RTV-UNI2TE	RTVMULTI-UNI2TE	4	Next Working Day	26
Universal 22,000 Roof Tile Vent	Brown	RTV-UNI2BR	RTVMULTI-UNI2BR	4	Next Working Day	26
Universal 22,000 Roof Tile Vent	Grey	RTV-UNI2GR	RTVMULTI-UNI2GR	4	Next Working Day	26
Universal 22,000 Roof Tile Vent	Red	RTV-UNI2RD	RTVMULTI-UNI2RD	4	Next Working Day	26
Universal 22,000 Roof Tile Vent	Black	RTV-UNI2BL	RTVMULTI-UNI2BL	4	Next Working Day	26
Universal Inline Slate Vent	Black	RTV-ISBL	RTVMULTI-ISBL	5	Next Working Day	27
Small Inline Slate Vent	Black	RTV-SISBL	RTVMULTI-SISBL	5	Next Working Day	27
Hooded Slate	Black	RTV-HSBL	RTVMULTI-HBL	4	Next Working Day	27
Universal Slate Vent	Black	4001	-	5	Next Working Day	27

Product Code	Description	Colour	Pack Qty.	Lead Time	Page
4101	Pipe Adapter Kit - For Universal Slate Vent	Black	1	Next Working Day	29
4102	Pipe Adapter Only - For Universal Slate Vent	Black	1	Next Working Day	29
4103	Flexible PVC Pipe Only - For Universal Slate Vent	White	1	Next Working Day	29
RTV-ADS	Standard Tile Vent Adapter	Black	12	Next Working Day	28
RTV-ADP	Plain Tile Vent Adapter	Black	12	Next Working Day	28
RTV-ADIS	Inline Slate Vent Adapter	Black	10	Next Working Day	28
RTV-ADHS	Hooded Slate Vent Adapter	Black	10	Next Working Day	28
RTV-ADMULTI	Multi Stepped Duct Adapter	Black	10	Next Working Day	28
RTV-KIT1	Flexi-Pipe + Clamp	Black	1	Next Working Day	29
RTV-KIT2	Flexi-Pipe + Clamp + RTV-ADS	Black	1	Next Working Day	29
RTV-KIT3	Flexi-Pipe + Clamp + RTV-ADP	Black	1	Next Working Day	29
RTV-KIT4	Flexi-Pipe + Clamp + RTV-ADIS	Black	1	Next Working Day	29

# GUIDES

Whether you need comprehensive product information, condensed data on a specific category, or an update on Timloc's ESG developments, we will have the guide to suit.

Scan the QR code for digital versions of the Timloc product guide, category guides and datasheets.

For print copies, please email: [sales@timloc.co.uk](mailto:sales@timloc.co.uk)



## A4 PRODUCT GUIDE

Product guide consisting of datasheets, codes and pack quantities for the entire Timloc product range.



## A4 SUSTAINABILITY GUIDE

Information on the steps Timloc has taken to be at the forefront of sustainability in our industry.

## A5 CATEGORY GUIDES


Key information, codes and pack quantities for individual product categories when the full product guide is not required.



**ACCESS PRODUCTS**



**CAVITY CLOSERS & STOP SOCKS**



**CAVITY TRAYS**



**CIVILS & GROUNDWORKS**



**CONSTRUCTION ACCESSORIES**



**FIRE RATED & NON-COMBUSTIBLE**



**METER BOXES**



**ROOFLINE**



# ROOFLINE

by **timloc**

Sales | T: 01405 765 567 E: [sales@timloc.co.uk](mailto:sales@timloc.co.uk) Technical | T: 01405 782 769 E: [technical@timloc.co.uk](mailto:technical@timloc.co.uk)

Timloc Building Products | Timloc House, Ozone Park, Howden, East Yorkshire DN14 7SD